

**Door Table of Contents**

---

Albany .....	4.44-4.45	CRP-10827 .....	4.18-4.19
Alexandreia .....	4.52-4.53	CRP-10875 .....	4.20-4.21
Amesbury .....	4.44-4.45	CRP-10946 .....	4.20-4.21
Ardmore .....	4.52-4.53	CRP-1389 .....	4.20-4.21
Aspen .....	4.40-4.41	CRP-1389MT .....	4.6-4.7
AspenPP .....	4.24-4.25	CRP-1420 .....	4.20-4.21
Astoria .....	4.64-4.65	CRP-20 .....	4.6-4.7
Aurora .....	4.60-4.61	CRP-30 .....	4.8-4.9
Bristol .....	4.44-4.45	CRP-30 (1" thick) .....	4.56-4.57
Boulder .....	4.40-4.41	EriksonPP .....	4.52-4.53
BoulderPP .....	4.24-4.25	Fairhaven .....	4.44-4.45
Churchill .....	4.48-4.49	Fargo .....	4.40-4.41
Cortland .....	4.44-4.45	FargoPP .....	4.24-4.25
Crawford .....	4.6-4.7	Flush Batten .....	4.60-4.61
CRP-10 .....	4.6-4.7	Franklin .....	4.48-4.49
CRP-10 (1" thick) .....	4.56-4.57	Geneva .....	4.10-4.11
CRP-10 Miter .....	4.18-4.19	Glasgow .....	4.10-4.11
CRP-10A48 .....	4.34-4.35	Hancock .....	4.48-4.49
CRP-10A48 (1" thick) .....	4.56-4.57	Juno .....	4.26-4.27
CRP-10102 .....	4.6-4.7	Lafayette .....	4.48-4.49
CRP-10141 .....	4.10-4.11	LaSalle .....	4.34-4.35
CRP-10161 .....	4.34-4.35	Madison .....	4.44-4.45
CRP-101728 .....	4.34-4.35	Marquis .....	4.34-4.35
CRP-10191 .....	4.18-4.19	Monarch Square .....	4.8-4.9
CRP-10318 .....	4.18-4.19	Monroe .....	4.48-4.49
CRP-10334 .....	4.18-4.19	Normandie (1" thick) .....	4.56-4.57
CRP-10382 .....	4.18-4.19	Omaha .....	4.40-4.41
CRP-10382MT .....	4.6-4.7	OmahaPP .....	4.24-4.25
CRP-10533 .....	4.18-4.19	Presidential Miter .....	4.20-4.21
CRP-10605MT .....	4.6-4.7	Presidential MiterPP .....	4.26-4.27
CRP-10751 .....	4.18-4.19	Presidential Square .....	4.8-4.9
CRP-10751MT .....	4.6-4.7	Prestige .....	4.20-4.21
CRP-10797 .....	4.34-4.35	Provence (1" thick) .....	4.56-4.57

Radcliffe ..... 4.34-4.35

Ridgemont.....4.36-4.37

Rothsford..... 4.20-4.21

Rutland..... 4.20-4.21

RutlandMT .....4.8-4.9

RutlandMTPP.....4.12-4.13

RutlandPP ..... 4.26-4.27

Savannah .....4.8-4.9

SavannahMT.....4.8-4.9

SavannahPP .....4.12-4.13

Savoy .....4.64-4.65

Sheldon.....4.44-4.45

Staffordshire (1" thick).....4.56-4.57

Stockbridge.....4.44-4.45

Topeka..... 4.40-4.41

TopekaPP ..... 4.24-4.25

Tripoli.....4.52-4.53

TW-10..... 4.12-4.13

TW-10 Miter..... 4.26-4.27

TW-1038.....4.12-4.13

TW-10533..... 4.26-4.27

TW-10716 ..... 4.12-4.13

TW-10751 ..... 4.26-4.27

TW-10827 ..... 4.26-4.27

TW-10916.....4.12-4.13

Venus .....4.22-4.23

Venus (7/8" thick) .....4.56-4.57

Verona.....4.36-4.37

Vulcan .....4.8-4.9

Wakefield .....4.10-4.11

Wayland .....4.36-4.37

Westminster .....4.8-4.9

Woodridge (1" thick).....4.56-4.57

Yardley.....4.52-4.53

**Drawer Front Table of Contents**

10141 .....	4.62-4.63	CRP-10751MT .....	4.14-4.15
#10.....	4.62-4.63	CRP-10797 .....	4.38-4.39
1-1/8" Sandwich .....	4.62-4.63	CRP-10827 .....	4.28-4.29
Albany .....	4.46-4.47	CRP-10875 .....	4.28-4.29
Amesbury.....	4.46-4.47	CRP-10946.....	4.28-4.29
Alexandreia.....	4.54-4.55	CRP-1389.....	4.28-4.29
Ardmore .....	4.54-4.55	CRP-1389MT .....	4.14-4.15
Aspen .....	4.42-4.43	CRP-1420 .....	4.30-4.31
AspenPP .....	4.32-4.33	EriksonPP.....	4.54-4.55
Astoria .....	4.64-4.65	Fairhaven .....	4.46-4.47
Aurora.....	4.62-4.63	Fargo .....	4.42-4.43
Boulder.....	4.42-4.43	FargoPP .....	4.32-4.33
BoulderPP .....	4.32-4.33	Franklin.....	4.50-4.51
Bristol .....	4.46-4.47	Geneva.....	4.14-4.15
Churchill .....	4.50-4.51	Glasgow .....	4.14-4.15
Cortland .....	4.46-4.47	Hancock.....	4.50-4.51
Crawford.....	4.14-4.15	Hastings .....	4.42-4.43
CRP-10.....	4.14-4.15	Juno.....	4.30-4.31
CRP-10 (1" thick) .....	4.58-4.59	Keystone .....	4.62-4.63
CRP-10 Miter.....	4.28-4.29	Lafayette.....	4.50-4.51
CRP-10A48.....	4.38-4.39	LaSalle .....	4.38-4.39
CRP-10A48 (1" thick) .....	4.58-4.59	Madison .....	4.46-4.47
CRP-10141 .....	4.14-4.15	Marcel .....	4.62-4.63
CRP-10161 .....	4.38-4.39	Marquis .....	4.38-4.39
CRP-101728 .....	4.38-4.39	Monarch Square .....	4.14-4.15
CRP-10191 .....	4.28-4.29	Monroe.....	4.50-4.51
CRP-10318 .....	4.28-4.29	Normandie (1" thick).....	4.58-4.59
CRP-10334.....	4.28-4.29	Omaha .....	4.42-4.43
CRP-10382.....	4.28-4.29	OmahaPP.....	4.32-4.33
CRP-10382MT .....	4.14-4.15	Presidential .....	4.14-4.15
CRP-10533.....	4.28-4.29	Presidential Miter .....	4.30-4.31
CRP-10605MT .....	4.14-4.15	Prestige .....	4.30-4.31
CRP-10751 .....	4.28-4.29	Provence (1" thick) .....	4.58-4.59

Radcliffe ..... 4.38-4.39

Ridgemont..... 4.38-4.39

Rothbury.....4.42-4.43

Rothsford.....4.30-4.31

Rutland.....4.30-4.31

RutlandMT .....4.16-4.17

RutlandMTPP.....4.16-4.17

RutlandPP .....4.30-4.31

Savannah .....4.16-4.17

SavannahMT.....4.16-4.17

SavannahPP .....4.16-4.17

Savoy .....4.64-4.65

Sheldon.....4.46-4.47

Slab .....4.62-4.63

Staffordshire (1" thick).....4.58-4.59

Stockbridge.....4.46-4.47

Topeka.....4.42-4.43

TopekaPP.....4.32-4.33

Tripoli..... 4.54-4.55

TW-10.....4.16-4.17

TW-1038.....4.16-4.17

TW-10716.....4.16-4.17

TW-10916.....4.16-4.17

Venus .....4.30-4.31

Venus (7/8" thick) .....4.58-4.59

Verona..... 4.38-4.39

Vulcan .....4.16-4.17

Wakefield .....4.16-4.17

Wayland ..... 4.38-4.39

Westminster .....4.16-4.17

Woodridge (1" thick).....4.58-4.59


Yardley ..... 4.54-4.55

## Pricing Procedure for Doors and Drawer Fronts

The price for any custom door or drawer front can be easily calculated by inserting the relevant numbers into the chart below. A brief explanation for reference is given for each required number.

**Example 1 – 1 CRP-10 in Standard Grade Hard Maple, 3/4" thick, 15" x 25"**

**Example 2 – 1 CRP-10 with radius corners in Premium Hard Maple, 1" thick, 15" x 25"**




## Product Design Choices

All of Conestoga's door and drawer front prices include a choice of edge profile, framing bead and panel raise. However, L-297, L-304 and LC-Inset edge profiles incur an extra charge. For complete details on available options and associated prices, see the Design Options Section.


Before pricing a door or drawer front, verify the availability of the desired options on the design by referring to the Offering and Availability information found immediately after each door design page.

Multiple panel doors have Design Charges equivalent to the number of panels ordered. As an example, a CRP-10 with three panels uses the Design Charge. This policy excludes doors that come standard with multiple panels (i.e. CRP-10102). *Due to construction complexity, all multiple panel miter doors include an additional charge per center stile or midrail plus the per-panel Design Charge.*

**Raised Panel Doors**




**Crawford**  
*matching drawer front available*




7" x 6-3/4"  
2-1/4" framing  
3/8" Reverse G-Cove  
raise shown




**CRP-10**  
*matching drawer front available*




7-1/2" x 7-1/2"  
2-1/4" framing  
Slant raise shown




**CRP-10102**




12-7/8" x 7-1/2"  
2-1/4" framing  
Slant raise shown




**CRP-10382MT**  
*matching drawer front available*



8-3/8" x 8-3/8"  
2-3/4" framing  
Slant raise shown




**CRP-10605MT**  
*matching drawer front available*




7-1/2" x 7-1/2"  
2-1/4" framing  
P-016 raise shown




**CRP-10751MT**  
*matching drawer front available*




7-1/2" x 7-1/2"  
2-5/16" framing  
Slant raise shown




**CRP-1389MT**  
*matching drawer front available*



8-3/8" x 8-3/8"  
2-3/4" framing  
Slant raise shown



**CRP-20**



8-1/4" x 9-1/4"  
2-1/4" framing  
Slant raise shown


Due to construction complexity, all multiple panel CRP-10382MT, CRP-10605MT, CRP-10751MT and CRP-1389MT doors include an additional charge per middle rail and middle stile plus the per-panel Design Charge. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted. Narrow point of arched and cathedral rails are equal to the width of the stiles.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	CRP-10, CRP-10102 and CRP-20 – all 3/4" and 1" species available. Crawford – all 3/4" species available. CRP-10382MT, CRP-10605MT, CRP-10751MT and CRP-1389MT – all 3/4" species available except Rustic Knotty.
<b>Edge Profiles</b>	
pg 7.1	CRP-10, CRP-10102 and CRP-20 – all 3/4" and 1" profiles available. Crawford, CRP-10382MT, CRP-10605MT, CRP-10751MT and CRP-1389MT – all 3/4" profiles only.
<b>Framing Beads</b>	
pg 7.2	Crawford, CRP-10382MT, CRP-10605MT, CRP-10751MT and CRP-1389MT – design specific, no options available. All other designs all 3/4" and 1" profiles available.
<b>Panel Raises</b>	
pg 7.2A	CRP-10, CRP-10102 and CRP-20 - all 3/4" and 1" profiles available. Crawford, CRP-10382MT, CRP-10751MT and CRP-1389MT – all 3/4" profiles only. CRP-10605MT – P-016, P-057, P-106 and Reverse G-Cove only.
<b>Options</b>	
pgs 7.3-7.15	All options available except Essex Rout on CRP-10605MT, CRP-10751MT and CRP-1389MT.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	All designs - available in frame only and mullions. Crawford, CRP-10382MT, CRP-10605MT, CRP-10751MT and CRP-1389MT mullions incur special lite charges.
<b>Matching/Complementary Drawer Fronts</b>	
pgs 4.14-4.15, 4.62-4.63	Available for Crawford, CRP-10, CRP-10382MT, CRP-10605MT, CRP-10751MT and CRP-1389MT.


## Raised Panel Doors



**CRP-30**




8-1/4" x 8-1/2"  
2-1/4" framing  
Slant raise shown



**Monarch Square**

*matching drawer front available*




7-1/2" x 7-1/2"  
2-1/4" framing  
Slant raise shown




**Presidential Square**

*matching drawer front available*




8-3/8" x 8-3/8"  
2-3/4" framing  
Presidential raise shown




**RutlandMT**

*matching drawer front available*




8-1/4" x 8-1/4"  
2-11/16" framing  
3/8" Reverse G-Cove  
raise shown




**Savannah**

*matching drawer front available*




7-7/8" x 7-5/8"  
2-3/4" framing  
3/8" Reverse G-Cove  
raise shown




**SavannahMT**

*matching drawer front available*




7-7/8" x 7-5/8"  
2-3/4" framing  
3/8" Reverse G-Cove  
raise shown




**Vulcan**

*matching drawer front available*




5-1/4" x 5-1/4"  
3/4" wide framing on face  
25/32" thick framing



**Westminster**

*matching drawer front available*



8-3/8" x 8-3/8"  
2-3/4" framing  
Presidential raise shown


Due to construction complexity, all multiple panel Presidential Square, RutlandMT and SavannahMT doors include an additional charge per middle rail and middle stile plus the per-panel Design Charge. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	CRP-30 and Monarch Square – all 3/4" and 1" species available. Presidential Square, RutlandMT – all 3/4" species except Bamboo, Rift Cut White Oak and Rustic Knotty. SavannahMT – all 3/4" species available except Rustic Knotty. Savannah and Westminster – all 3/4" species available. Vulcan - all 3/4" species available except Bamboo and Rustic Knotty.
<b>Edge Profiles</b>	
pg 7.1	Vulcan – B-2, L-034, L-149, L-253, L-686, L-1160, Machine Edge and V-2 only. All other designs – all 3/4" profiles available. CRP-30 and Monarch Square – all 1" profiles available.
<b>Framing Beads</b>	
pg 7.2	CRP-30 – all 3/4" and 1" profiles available. All other designs – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	CRP-30 – all 3/4" and 1" profiles available. Vulcan – design specific, no options available. All other designs – all 3/4" profiles available.
<b>Options</b>	
pgs 7.3-7.15	Vulcan – concealed hinge boring, panel grooves, back routed hand pull, sample ID label, antiquing, weathered grain, distressing, wear sanding and hybrid seal coat. All other designs – all options available except Essex Rout.  <b>Note:</b> Savannah – not eligible for Colourtone, primer or Prism Paints unless ordered as 5-Piece MDF. See Section 5 for product details. SavannahMT – available with all finishes.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	Vulcan – mullions not available. Frame only doors not available. All other designs - available in frame only and mullions. CRP-30 mullion – incurs standard lite charges. All other mullion designs incur special lite charges.
<b>Matching/Complementary Drawer Fronts</b>	
pgs 4.14-4.17, 4.62-4.63	Matching drawer fronts available except CRP-30.


**Raised Panel Doors**



**CRP-10141**  
*matching drawer front available*




Stile cross section




Rail cross section


8" x 10-1/8"  
3-3/8" rail width  
2-1/4" stile width  
P-106 raise shown



**Geneva**  
*matching drawer front available*




Stile cross section




Rail cross section


7" x 8-1/8"  
3" rail width  
2-1/4" stile width  
3/8" Reverse G-Cove  
raise shown



**Glasgow**  
*matching drawer front available*




Stile cross section




Rail cross section


7" x 8-1/8"  
3" rail width  
2-1/4" stile width  
3/8" Reverse G-Cove  
raise shown



**Wakefield**  
*matching drawer front available*



Stile cross section



Rail cross section

7" x 8-1/8"  
3" rail width  
2-1/4" stile width  
3/8" Reverse G-Cove  
raise shown


Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	All 3/4" species available.
<b>Edge Profiles</b>	
pg 7.1	All 3/4" profiles available.
<b>Framing Beads</b>	
pg 7.2	CRP-10141, Glasgow, and Wakefield – design specific, no options. CRP-10141 – Ogee bead on rails with chamfered stiles. Glasgow – FB00310 on rails with Square bead stiles. Wakefield – FB01016 on rails with Square bead stiles. Geneva – rail options: Elite, F007, F877, F1223; Ogee or Regular with Square bead stiles standard, no options.
<b>Panel Raises</b>	
pg 7.2A	All 3/4" profiles available.
<b>Options</b>	
pgs 7.3-7.15	All options available except Essex Rout.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	All designs - available in frame only and mullions. Square bead mullions standard. All mullions incur special lite charges.
<b>Matching/Complementary Drawer Fronts</b>	
pgs 4.14-4.17, 4.62-4.63	All available.


**Plywood Panel Doors**




**RutlandMTPP**  
matching drawer front available




7-3/4" x 7-3/4"  
2-11/16" framing  
1/4" Veneered Panel




**SavannahPP**  
matching drawer front available




7-7/8" x 5-7/8"  
2-3/4" framing  
1/4" Veneered Panel




**TW-10**  
matching drawer front available




7" x 5"  
2-1/4" framing  
1/4" Veneered Panel




**TW-1038**  
matching drawer front available




7" x 6-1/2"  
2-1/4" framing  
3/8" Veneered Panel




**TW-10716**  
matching drawer front available



7" x 5-7/8"  
Face - 1-7/8" framing  
Back - 2-1/4" framing  
7/16" Veneered panel



**TW-10916**  
matching drawer front available



7" x 5-7/8"  
Face - 1-7/8" framing  
Back - 2-1/4" framing  
9/16" Veneered panel

Due to construction complexity, all multiple panel RutlandMTPP doors include an additional charge per middle rail and middle stile plus the per-panel Design Charge. All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	RutlandMTPP - All 3/4" species available except Rustic Knotty, Rift Cut White Oak and Soft Maple. SavannahPP and TW-10 – all 3/4" species available except Rustic Knotty and Soft Maple. TW-10 – all 1" species available except Rustic Knotty and Soft Maple. TW-1038 – 3/4" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Quarter Sawn White Oak, Red Oak, Rift Cut White Oak and Walnut only. TW-10716 – 3/4" Cherry, Hard Maple and Paint Grade Hard Maple Hybrid only. TW-10916 – 3/4" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Red Oak, Rift Cut White Oak and Walnut only.
Edge Profiles	
pg 7.1	All 3/4" edge profiles available. TW-10 – all 3/4" and 1" edge profiles available.
Framing Beads	
pg 7.2	TW-10 – all 3/4" and 1" profiles available. TW-1038 – all 3/4" profiles available. RutlandMTPP, SavannahPP, TW-10716 and TW-10916 – design specific, no options available.
Panel Raises	
pg 7.2A	RutlandMTPP, SavannahPP and TW-10 – 1/4" veneered panel only. TW-1038 – 3/8" veneered panel only. TW-10716 – 7/16" veneered panel only. TW-10916 – 9/16" veneered panel only.
Options	
pgs 7.3-7.15	RutlandMTPP - all options available except Essex Rout. All other designs - all options available. <b>Note:</b> SavannahPP – not eligible for Colourtone, primer or Prism Paints unless ordered as 5-Piece MDF. See Section 5 for product details.
Mullions/Frame Only	
pgs 6.1-6.13	All designs - available in frame only and mullions except TW-10716 and TW-10916, which are only available in frame only. For TW-10716 and TW-10916 mullion designs, order as CRP-10 mullion with Square bead framing and Square bead mullions. RutlandMTPP and SavannahPP mullions – incurs special lite charges.
Matching/Complementary Drawer Fronts	
pgs 4.16-4.17, 4.62-4.63	All available.


## 5-Piece Mortise and Tenon Drawer Fronts




**Crawford**



7" x 3-7/8"  
1-1/2" rails  
2-1/4" stiles  
P-057 raise shown




**CRP-10**



7-1/2" x 5-3/4"  
1-1/2" rails  
2-1/4" stiles  
Slant raise shown



**CRP-10141**



Stile cross section




Rail cross section

7" x 5-1/4"  
1-1/2" rails  
2-1/4" stiles  
P-057 raise shown




**CRP-10382MT**



7-7/8" x 4-7/8"  
2" rails  
2-3/4" stiles  
P-057 raise shown




**CRP-10605MT**



7-1/2" x 5-1/8"  
1-1/2" rails  
2-1/4" stiles  
P-016 raise shown




**CRP-10751MT**



7" x 5-1/2"  
2-5/16" framing  
P-057 raise shown




**CRP-1389MT**




7-7/8" x 4-7/8"  
2" rails  
2-3/4" stiles  
P-057 raise shown



**Geneva**



Stile cross section




Rail cross section


7" x 4-7/8"  
2" rails  
2-1/4" stiles  
P-057 raise shown



**Glasgow**



Stile cross section




Rail cross section

7" x 4-7/8"  
2" rails  
2-1/4" stiles  
P-057 raise shown




**Monarch Square**



7-1/2" x 5-3/4"  
1-1/2" rails  
2-1/4" stiles  
Slant raise shown



**Presidential**



7-7/8" x 6-3/8"  
2-3/4" framing  
P-057 raise shown

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Horizontal grain direction standard unless otherwise noted; vertical grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	Crawford, CRP-10, CRP-10141, CRP-10382MT, Geneva, Glasgow and Monarch Square – all 3/4" species available. CRP-10 – all 1" species available. CRP-10605MT, CRP-10751MT, CRP-1389MT and Presidential – all 3/4" species available except Rustic Knotty.
<b>Edge Profiles</b>	
pg 7.1	All 3/4" profiles available.
<b>Framing Beads</b>	
pg 7.2	CRP-10 – all 3/4" and 1" profiles available. Geneva – rail options: Elite, F007, F877, F1223, Ogee or Regular with Square bead, stile, Square bead rails standard, no options. All other designs – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	CRP-10 – all 3/4" and 1" profiles available. All other designs except CRP-10605MT – 3/4" profiles available. CRP-10605MT – P-016, P-057, P-106 and Reverse G-Cove only.
<b>Options</b>	
pgs 7.3-7.15	All designs – G-012, G-015 and G-056 panel grooves, back-routed hand pull, sample ID label, distressing, wear sanding, pegs and radius corners.

## 5-Piece Mortise and Tenon Drawer Fronts




**RutlandMT**



7-3/4" x 5"  
2-1/16" rails  
2-11/16" stiles  
P-057 raise shown




**RutlandMTPP**



7-3/4" x 5"  
2-1/16" rails  
2-11/16" stiles  
1/4" Veneered panel




**Savannah**



7-7/8" x 5-1/8"  
1-1/2" rails  
2-3/4" stiles  
3/8" Reverse G-Cove  
raise shown




**SavannahMT**




7-7/8" x 5-1/8"  
1-1/2" rails  
2-3/4" stiles  
3/8" Reverse G-Cove  
raise shown



**SavannahPP**




7-7/8" x 3-3/8"  
1-1/2" rails  
2-3/4" stiles  
1/4" Veneered panel




**TW-10**



7" x 3-3/8"  
1-1/2" rails  
2-1/4" stiles  
1/4" Veneered panel




**TW-1038**



7" x 4"  
1-1/2" rails  
2-1/4" stiles  
3/8" Veneered panel




**TW-10716**




7" x 5-1/8"  
1-15/16" on face  
2-1/4" on back  
7/16" Veneered panel




**TW-10916**




7" x 5-1/8"  
1-15/16" on face  
2-1/4" on back  
9/16" Veneered panel




**Vulcan**



5-1/4" x 5-1/4"  
3/4" wide framing on face  
25/32" thick framing




**Wakefield**



Stile cross section  
Rail cross section  
7" x 4-7/8"  
2" rails  
2-1/4" stiles  
P-057 raise shown



**Westminster**



7-7/8" x 4-7/8"  
1-1/2" rails  
2-3/4" stiles  
P-057 raise shown

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Horizontal grain direction standard unless otherwise noted; vertical grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	Savannah, Wakefield and Westminster – all 3/4" species available. RutlandMT and RutlandMTPP – all 3/4" species available except Rustic Knotty, Rift Cut White Oak and Soft Maple. SavannahPP and TW-10 – all 3/4" species available except Rustic Knotty and Soft Maple. SavannahMT – all 3/4" species available except Rustic Knotty. TW-10 – all 1" species available except Rustic Knotty and Soft Maple. TW-1038 – 3/4" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Quarter Sawn White Oak, Red Oak, Rift Cut White Oak and Walnut only. TW-10716 – 3/4" Cherry, Hard Maple and Paint Grade Hard Maple Hybrid only. TW-10916 – 3/4" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Red Oak, Rift Cut White Oak and Walnut only. Vulcan - all 3/4" species available except Bamboo and Rustic Knotty.
Edge Profiles	
pg 7.1	Vulcan - B-2, L-034, L-149, L-253, L-686, L-1160, Machine Edge and V-2 only. All other designs – all 3/4" profiles available.
Framing Beads	
pg 7.2	TW-10 and TW-1038 – all 3/4" profiles available. All other designs – design specific, no options available.
Panel Raises	
pg 7.2A	RutlandMTPP, Savannah, SavannahPP, SavannahMT and TW-10 – 1/4" veneered panel only. TW-1038 – 3/8" veneered panel only. TW-10716 – 7/16" veneered panel only. TW-10916 – 9/16" veneered panel only. Vulcan – design specific, no options available. All other designs – all 3/4" profiles available.
Options	
pgs 7.3-7.15	Vulcan - panel grooves, back-routed hand pull, sample ID label, antiquing, weathered grain, distressing, wear sanding and hybrid seal coat. All other designs – G-012, G-015 and G-056 panel grooves, back-routed hand pull, distressing, wear sanding, pegs, radius corners and sample ID label.  <b>Note:</b> Savannah and SavannahPP – not eligible for Colourtone, primer or Prism Paints unless ordered as 5-Piece MDF, see Section 5 for product details. See SavannahMT design if primer, Colourtones or Prism Paint are required.


Miter Raised Panel Doors




**CRP-10 Miter**  
matching drawer front available




7-1/2" x 7-1/2"  
2-5/16" framing  
Slant raise shown




**CRP-10191**  
matching drawer front available



7-1/8" x 7-1/8"  
2-1/2" framing  
3/8" Reverse G-Cove  
raise shown




**CRP-10318**  
matching drawer front available




8-7/8" x 8-7/8"  
2-15/16" framing  
Louis XIII raise shown  
5/16" radius corners on  
framing standard




**CRP-10334**  
matching drawer front available



7-1/2" x 7-1/2"  
2-5/16" framing  
Slant raise shown




**CRP-10382**  
matching drawer front available




6-3/4" x 6-3/4"  
2-5/16" framing  
3/8" Reverse G-Cove  
raise shown




**CRP-10533**  
matching drawer front available



7-1/2" x 7-1/2"  
2-5/16" framing  
Slant raise shown




**CRP-10751**  
matching drawer front available



7-1/2" x 7-1/2"  
2-5/16" framing  
Slant raise shown



**CRP-10827**  
matching drawer front available



7-1/2" x 7-1/2"  
2-5/16" framing  
Slant raise shown


Due to construction complexity, all multiple panel miter doors will include an additional charge per middle and upright rail plus the per-panel Design Charge. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.


<b>Species</b>	
Material Pricing Guide	CRP-10191 – all 3/4" species available except Bamboo and Rustic Knotty. All other designs – all 3/4" species available except Rustic Knotty. CRP-10 – all 1" species available except Bamboo and Rustic Knotty.
<b>Edge Profiles</b>	
pg 7.1	CRP-10 Miter – all 3/4" and 1" profiles available. CRP-10382, CRP-10533 and CRP-10751 – all 3/4" profiles available. CRP-10318 – standard as shown, C-2, LC-2 and PRS-2 profiles also available. CRP-10191, CRP-10334 and CRP-10827 – design specific, no options available.
<b>Framing Beads</b>	
pg 7.2	CRP-10 Miter – all 3/4" and 1" profiles available. All other designs – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	CRP-10 Miter – all 3/4" and 1" profiles available. All other designs – all 3/4" profiles available.
<b>Options</b>	
pgs 7.3-7.15	All designs – back-routed hand pull, sample ID label, concealed hinge boring, distressing, G-012, G-015 and G-056 panel grooves, Soss hinge boring and wear sanding. CRP-10318 – radius corners standard, square corners can be specified.  <b>Note:</b> Prefinished CRP-10191, CRP-10318, CRP-10334 designs in specific specie and finish combinations will receive the Wood Conditioner Option unless instructed not to by customer.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	All designs - available in frame only and mullions. CRP-10 Miter mullion incurs standard lite charges. All other mullion designs incur special lite charges.
<b>Matching/Complementary Drawer Fronts</b>	
pgs 4.28-4.29, 4.62-4.63	All available.

Miter Raised Panel Doors



**CRP-10875**

*matching drawer front available*




8-5/8" x 8-5/8"  
2-7/8" framing  
Slant raise shown



**CRP-10946**

*matching drawer front available*




8" x 8"  
2-15/16" framing  
3/8" Reverse G-Cove  
raise shown




**CRP-1389**

*matching drawer front available*




7-1/2" x 7-1/2"  
2-5/16" framing  
Slant raise shown



**CRP-1420**

*matching drawer front available*




8-1/4" x 8-1/4"  
2-11/16" framing  
Slant raise shown




**Presidential Miter**

*matching drawer front available*




7-7/8" x 7-7/8"  
2-1/2" framing  
Presidential raise shown




**Prestige**

*matching drawer front available*




7-7/8" x 7-7/8"  
2-7/8" framing  
3/8" Reverse G-Cove  
raise shown




**Rothsford**

*matching drawer front available*




7-3/4" x 7-3/4"  
2-3/4" framing  
3/8" Reverse G-Cove  
raise shown



**Rutland**

*matching drawer front available*



7-1/2" x 7-1/2"  
2-11/16" framing  
3/8" Reverse G-Cove  
raise shown

Due to construction complexity, all multiple panel miter doors will include an additional charge per middle and upright rail plus the per-panel Design Charge. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.


### Offering And Availability

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	Rothsford - All 3/4" species available except Bamboo, Rift Cut White Oak and Rustic Knotty. All other designs – all 3/4" species available except Rustic Knotty.
<b>Edge Profiles</b>	
pg 7.1	CRP-1389, Presidential Miter and Rutland – all 3/4" profiles available. All other designs – design specific, no options available.
<b>Framing Beads</b>	
pg 7.2	All designs – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	All designs – all 3/4" profiles available.
<b>Options</b>	
pgs 7.3-7.15	All designs – back-routed hand pull, sample ID label, distressing, G-012, G-015 and G-056 panel grooves and wear sanding. All designs except CRP-1389 and Presidential Miter – all concealed hinge boring patterns available. CRP-1389 and Presidential Miter – pattern A concealed hinge boring only. CRP-10875, CRP-1389, CRP-1420, Presidential Miter, Rothsford and Rutland - Soss rout also available.  <b>Note:</b> Prefinished CRP-10875, CRP-10946, CRP-1420, Prestige and Rothsford designs in specific specie and finish combinations will receive the Wood Conditioner Option unless instructed not to by customer.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	All designs - available in frame only and mullions. All mullion designs incur special lite charges.
<b>Matching/Complementary Drawer Fronts</b>	
pgs 4.28-4.31, 4.62-4.63	All available.


## Miter Raised Panel Doors

---



### Venus

*matching drawer front available*



5-1/4" x 5-1/4"

13/16" wide framing on face

25/32" thick framing

Due to construction complexity, all multiple panel miter doors will include an additional charge per middle and upright rail plus the per-panel Design Charge. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

**Offering And Availability**

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.


<b>Species</b>	
Material Pricing Guide	Venus - all 3/4" species available except Bamboo and Rustic Knotty and all 1" species available except Rustic Knotty. 1" species must be ordered as VENUS78.
<b>Edge Profiles</b>	
pg 7.1	Venus - B-2, L-034, L-149, L-253, L-686, L-1160, Machine Edge and V-2 only.
<b>Framing Beads</b>	
pg 7.2	Venus – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	Venus – design specific, no options available.
<b>Options</b>	
pgs 7.3-7.15	Venus – concealed hinge boring, panel grooves, back-routed hand pull, sample ID label, antiquing, weathered grain, distressing, wear sanding and hybrid seal coat.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	Venus - mullions not available. Frame only doors available in all eligible species. Multi-panel frame only doors not available.  <b>Note:</b> The Venus frame only must be ordered as VENUSFO. The overall framing width on the face of the frame only door is 2-1/2".

## Miter Plywood Slab Doors (1" Thick)




### AspenPP

*matching drawer front available*




5-1/4" x 5-1/4"  
1/2" wide framing  
on face  
1" thick framing  
3/4" Veneered panel




### BoulderPP

*matching drawer front available*



5-1/4" x 5-1/4"  
7/16" wide framing  
on face  
15/16" thick framing  
3/4" Veneered panel




### FargoPP

*matching drawer front available*




5-1/4" x 5-1/4"  
13/16" wide framing on  
face  
1" thick framing  
3/4" Veneered panel




### OmahaPP

*matching drawer front available*



5-1/4" x 5-1/4"  
3/4" wide framing  
on face  
1" thick framing  
3/4" Veneered panel



### TopekaPP

*matching drawer front available*



5-1/4" x 5-1/4"  
3/4" wide framing  
on face  
1" thick framing  
3/4" Veneered panel

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift Cut White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. 3/4" thick Rift Cut panels use rift cut on face and back. All other Rift Cut plywood uses rift cut veneer on face, plain slice on back. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Framing width listed is determined by measuring across the back of the


### Offering And Availability

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	All designs – 7/8" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Rift Cut White Oak and Walnut – see chart below for pricing.
Edge Profiles	
pg 7.1	All designs – design specific, no options available.
Framing Beads	
pg 7.2	All designs – design specific, no options available.
Panel Raises	
pg 7.2A	All designs have 3/4" veneered panel, except PGHM Hybrid which is a 3/4" MDF panel.
Options	
pgs 7.3-7.15	All designs - concealed hinge boring, sample ID label, antiquing, distressing and wear sanding.
Mullions/Frame Only	
pgs 6.1-6.13	All designs - mullions not available. Frame only doors available in all eligible species. See pricing chart below. Multi-panel frame only doors not available. <b>Note:</b> The overall framing width on the face of the frame only door is 2-1/2".
Matching/Complementary Drawer Fronts	
pgs 4.32-4.33	All available.


Material Charges			
Specie	Price	Specie	Price
Cherry		PGHM Hybrid	
Maple, Hard		Walnut	
Oak, White, Rift Cut			

## Miter Plywood Panel Doors



**Juno**


*matching drawer front available*




5-1/4" x 5-1/4"  
13/16" wide framing on face  
25/32" thick  
1/4" Veneered panel



**Presidential MiterPP**




5-3/8" x 5-3/8"  
2-1/2" framing  
1/4" Veneered panel



**RutlandPP**

*matching drawer front available*



6-3/8" x 6-3/8"  
2-11/16" framing  
1/4" Veneered panel




**TW-10 Miter**



5" x 5"  
2-5/16" framing  
1/4" Veneered panel




**TW-10533**



5" x 5"  
2-5/16" framing  
1/4" Veneered panel




**TW-10751**



5" x 5"  
2-5/16" framing  
1/4" Veneered panel



**TW-10827**



5" x 5"  
2-5/16" framing  
1/4" Veneered panel


Due to construction complexity, all multiple panel miter doors will include an additional charge per middle and upright rail plus the per-panel Design Charge. All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	Juno – 3/4" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Red Oak, Rift Cut White Oak and Walnut. Presidential MiterPP, RutlandPP, TW-10 Miter, TW-10533, TW-10751 and TW-10827 – all 3/4" species available except Rustic Knotty and Soft Maple. TW-10 Miter – all 1" species available except Rustic Knotty and Soft Maple.
Edge Profiles	
pg 7.1	Juno – B-2, L-034, L-149, L-253, L-686, L-1160, Machine Edge and V-2 only. TW-10827 – design specific, no options available. TW-10 – all 3/4" and 1" profiles available. All other designs – all 3/4" profiles available.
Framing Beads	
pg 7.2	TW-10 Miter – all available. All other designs – design specific, no options available.
Panel Raises	
pg 7.2A	All designs – 1/4" veneered panel only, except PGHM Hybrid, which is a MDF panel.
Options	
pgs 7.3-7.15	Juno – concealed hinge boring, panel grooves, back-routed hand pull, sample ID label, antiquing, weathered grain, distressing and wear sanding.  All other designs – G-012, G-015, G-056 panel grooves, back-routed hand pull, sample ID label, concealed hinge boring, distressing and wear sanding. All designs – Soss hinge boring available except TW-10827. No hinge rout patterns B & C on Presidential MiterPP.
Mullions/Frame Only	
pgs 6.1-6.13	Juno – mullions not available. Frame only doors available in all eligible species. Multi-panel frame only doors not available. All other designs – available in frame only and mullions, mullions incur special lite charges except TW-10 Miter.  <b>Note:</b> The Juno frame only must be ordered as JUNOFO. The overall framing width on the face of the frame only door is 2-1/2".
Matching/Complementary Drawer Fronts	
pgs 4.30-4.31, 4.62-4.63	Matching drawer fronts available for Juno and RutlandPP.


Miter Drawer Fronts




**CRP-10 Miter**



7-1/2" x 7-1/2"  
2-5/16" framing  
Slant raise shown




**CRP-10191**




5-1/2" x 5-1/8"  
1-1/2" framing  
3/8" Reverse G-Cove shown




**CRP-10318**



4-3/4" x 4-3/4"  
1-3/4" framing  
P-057 raise shown




**CRP-10334**



4-7/8" x 4-7/8"  
2" framing  
P-057 raise shown




**CRP-10382**



5-1/2" x 5-1/2"  
2-5/16" framing  
P-057 raise shown




**CRP-10533**



5-1/2" x 5-1/2"  
2-5/16" framing  
P-057 raise shown




**CRP-10751**



5-1/2" x 5-1/2"  
2-5/16" framing  
P-057 raise shown




**CRP-10827**




5-1/2" x 5-1/2"  
2-5/16" framing  
P-057 raise shown




**CRP-10875**



4-7/8" x 4-7/8"  
2" framing  
P-057 raise shown




**CRP-10946**



4-3/4" x 4-3/4"  
1-5/8" framing  
P-057 raise shown



**CRP-1389**



6-7/8" x 6-7/8"  
2" framing  
Slant raise shown

Horizontal grain direction standard unless otherwise noted; vertical grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	CRP-10 Miter, CRP-10318, CRP-10334, CRP-10382, CRP-10533, CRP-10751, CRP-10827, CRP-10875, CRP-10946 and CRP-1389 – all 3/4" species available except Rustic Knotty. CRP-10191 – all 3/4" species available except Bamboo and Rustic Knotty. CRP-10 Miter – all 1" species available.
Edge Profiles	
pg 7.1	CRP-10191, CRP-10334, CRP-10827, CRP-10875 and CRP-10946 – design specific, no options available. CRP-10318 – standard as shown, C-2, LC-2, PRS-2 also available. CRP-1389 – all 3/4" profiles available except B and C. All other designs – all 3/4" profiles available.
Framing Beads	
pg 7.2	CRP-10 Miter – all 3/4" and 1" profiles available. All other designs – design specific, no options available.
Panel Raises	
pg 7.2A	All designs – all 3/4" profiles available. CRP-10 Miter – all 3/4" and 1" profiles available.
Options	
pgs 7.3-7.15	All designs – back-routed hand pull, sample ID label, G-012, G-015 and G-056 panel grooves, distressing and wear sanding.  <b>Note:</b> Prefinished CRP-10191, CRP-10318, CRP-10334, CRP-10875 and CRP-10946 designs in specific specie and finish combinations will receive the Wood Conditioner Option unless instructed not to by customer.

Miter Drawer Fronts




**CRP-1420**




4-7/8" x 4-7/8"  
2" framing  
P-057 raise shown




**Presidential Miter**



5-7/8" x 5-7/8"  
2-1/2" framing  
P-057 raise shown




**Prestige**




4-7/8" x 4-7/8"  
2" framing  
P-057 raise shown




**Rothsford**




4-7/8" x 4-7/8"  
2" framing  
P-057 raise shown




**Rutland**




5" x 5"  
2-1/16" framing  
P-057 raise shown




**RutlandPP**




5" x 5"  
2-1/16" framing  
1/4" Veneered Panel




**Juno**



5-1/4" x 5-1/4"  
13/16" wide framing on face  
25/32" thick framing  
9/16" Veneered panel



**Venus**



5-1/4" x 5-1/4"  
13/16" wide framing on face  
25/32" thick framing

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Horizontal grain direction standard unless otherwise noted; vertical grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	CRP-1420, Presidential Miter and Prestige – all 3/4" species available except Rustic Knotty. Juno – 3/4" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Red Oak, Rift Cut White Oak and Walnut. Rothsford – all 3/4" species available except Rift Cut White Oak and Rustic Knotty. Rutland – all 3/4" species available except Bamboo, Rift Cut White Oak and Rustic Knotty. RutlandPP – all 3/4" species available except Bamboo, Rift Cut White Oak, Rustic Knotty and Soft Maple. Venus - all 3/4" species available except Bamboo and Rustic Knotty and all 1" species available except Rustic Knotty. 1" species must be ordered as VENUS78.
Edge Profiles	
pg 7.1	CRP-1420, Prestige and Rothsford – design specific, no options available. Juno and Venus – B-2, L-034, L-149, L-253, L-686, L-1160, Machine Edge and V-2 only. All other designs – all 3/4" profiles available.
Framing Beads	
pg 7.2	All designs – design specific, no options available.
Panel Raises	
pg 7.2A	Juno – 9/16" veneered panel, except PGHM Hybrid which is an 5/8" MDF panel. RutlandPP – 1/4" veneered panel only. Venus - design specific, no options available. All other designs – all 3/4" profiles available.
Options	
pgs 7.3-7.15	Juno and Venus - panel grooves, back-routed hand pull, sample ID label, antiquing, weathered grain, distressing and wear sanding. All other designs – back-routed hand pull, sample ID label, G-012, G-015 and G-056 panel grooves, distressing and wear sanding.  <b>Note:</b> Prefinished CRP-1420, Prestige and Rothsford designs in specific specie and finish combinations will receive the Wood Conditioner Option unless instructed not to by customer.

Miter Drawer Fronts




**AspenPP**



4-3/4" x 4-3/4"  
 1/2" wide framing  
 on face  
 1" thick framing  
 3/4" Veneered panel




**BoulderPP**



4-3/4" x 4-3/4"  
 7/16" wide framing  
 on face  
 15/16" thick framing  
 3/4" Veneered panel




**FargoPP**



4-3/4" x 4-3/4"  
 13/16" wide framing on  
 face  
 1" thick framing  
 3/4" Veneered panel




**OmahaPP**



4-3/4" x 4-3/4"  
 3/4" wide framing  
 on face  
 1" thick framing  
 3/4" Veneered panel



**TopekaPP**



4-3/4" x 4-3/4"  
 3/4" wide framing  
 on face  
 1" thick framing  
 3/4" Veneered panel

All plywood panel designs use a veneered, composite core panel. All plywood panels except Birch use a plain sliced face or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Horizontal grain direction standard unless otherwise noted; vertical grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.


**Offering And Availability**

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	All designs – 1" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Rift Cut White Oak and Walnut – see chart below for pricing.
<b>Edge Profiles</b>	
pg 7.1	All designs – design specific, no options available.
<b>Framing Beads</b>	
pg 7.2	All designs – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	All designs have 3/4" veneered panel, except PGHM Hybrid which is a MDF panel.
<b>Options</b>	
pgs 7.3-7.15	All designs – sample ID label, antiquing, distressing and wear sanding.

<b>Material Charges</b>			
<b>Specie</b>	<b>Price</b>	<b>Specie</b>	<b>Price</b>
Cherry		PGHM Hybrid	
Maple, Hard		Walnut	
Oak, White, Rift Cut			

## Applied Moulding Doors



**CRP-10A48**


matching drawer front available



9-3/8" x 9-3/8"


3" framing

P-008 raise shown



**CRP-10161**

matching drawer front available



7" x 6-3/4"


2-1/4" framing

3/8" Reverse G-Cove  
raise shown



**CRP-101728**

matching drawer front available



7" x 6-3/4"


2-1/4" framing

3/8" Reverse G-Cove  
raise shown



**CRP-10797**

matching drawer front available



7" x 6-3/4"

2-1/4" framing

3/8" Reverse G-Cove  
raise shown



**LaSalle**


matching drawer front available



8-5/8" x 8-5/8"


2-7/8" framing

M-Bead raise shown



**Marquis**


matching drawer front available



8-7/8" x 8-7/8"


2-15/16" framing

Louis XIII raise shown



**Radcliffe**

matching drawer front available



7-1/4" x 7-1/4"

2-1/4" framing

1/4" Veneered panel

Due to construction complexity, all multiple panel miter doors include an additional charge per middle and upright rail plus the per-panel Design Charge. All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	LaSalle and Marquis – 3/4" Alder, Cherry, Hard Maple, Paint Grade Hard Maple, Red Oak and Soft Maple. Alder and Cherry utilize Cherry Rope moulding. Hard Maple, Paint Grade Hard Maple and Soft Maple utilize Hard Maple Rope moulding. Red Oak utilizes Red Oak Rope moulding. Radcliffe – 3/4" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Quarter Sawn White Oak, Red Oak, Rift Cut White Oak and White Oak only. All other designs – all 3/4" species available.  <b>Note:</b> Applied moulding designs produced in Quarter Sawn and Rift Cut White Oak utilize Standard grade applied mouldings and may contain small cathedrals, angled grain or other characteristics of flat cut White Oak lumber, which are considered acceptable.
Edge Profiles	
pg 7.1	LaSalle – design specific, no options available. Radcliffe – standard as shown (L-966), all other 3/4" profiles available. All other designs all 3/4" profiles available.
Framing Beads	
pg 7.2	CRP-10A48 – all 3/4" profiles available. All other designs – design specific, no options available.
Panel Raises	
pg 7.2A	CRP-10A48, LaSalle and Marquis – all 3/4" profiles available. CRP-10161 and CRP-101728 – P-057, P-602, Presidential and Reverse G-Cove only. CRP-10797 – M-Bead, P-057, P-602, Presidential, Reverse G-Cove and RM only. Radcliffe – 1/4" veneered panel only.
Options	
pgs 7.3-7.15	LaSalle and Marquis – all available except pegs, Essex Rout and radius corners. All other designs – all options available except Essex Rout.
Mullions/Frame Only	
pgs 6.1-6.13	All designs – available in frame only and mullions. All mullion designs except CRP-10A48 incur special lite charges.
Matching/Complementary Drawer Fronts	
pgs 4.38-4.39, 4.62-4.63	All available.

## Applied Moulding Doors



**Ridgemont**

*matching drawer front available*



9" x 9"


2-3/4" framing

P-602 raise shown



**Verona**

*matching drawer front available*



7-1/4" x 7-1/4"


2-1/4" framing

1/4" Veneered panel



**Wayland**

*matching drawer front available*



7" x 6-3/4"

2-1/4" framing

3/8" Reverse G-Cove  
raise shown

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	Wayland and Ridgemont – all 3/4" species available. Verona – all 3/4" species available except Rustic Knotty and Soft Maple.  <b>Note:</b> Applied moulding designs produced in Quarter Sawn and Rift Cut White Oak utilize Standard grade applied mouldings and may contain small cathedrals, angled grain or other characteristics of flat cut White Oak lumber, which are considered acceptable.
<b>Edge Profiles</b>	
pg 7.1	All designs – all 3/4" profiles available.
<b>Framing Beads</b>	
pg 7.2	All designs – design specific, no options available.  <b>Note:</b> Verona – applied moulding is installed against the framing bead, but does not overlap. This construction can result in a black line between the framing bead and applied moulding when using painted finishes and is not considered a defect. To avoid this potential issue, order the TW-101728 when utilizing a painted finish.
<b>Panel Raises</b>	
pg 7.2A	Verona – 1/4" veneered panel only. Ridgemont – P-057, P-602 and Reverse G-Cove only. Wayland – P-057, P-602, M-Bead, Presidential, Reverse G-Cove and RM only.
<b>Options</b>	
pgs 7.3-7.15	All options available.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	All designs available in frame only and mullions except Verona. For Verona frame only or mullion design, order as CRP-101728 with 2-7/16" framing. Ridgemont mullion – incurs special lite charges. Wayland mullion – incurs standard lite charges.
<b>Matching/Complementary Drawer Fronts</b>	
pgs 4.38-4.39, 4.62-4.63	All available.

**Applied Moulding Drawer Fronts**




**CRP-10A48**



8-3/8" x 4-7/8"  
2" rails  
3" stiles  
P-057 raise shown




**CRP-10161**



7" x 4-1/8"  
1-1/2" rails  
2-1/4" stiles  
P-057 raise shown




**CRP-101728**



7" x 4-1/2"  
1-1/2" rails  
2-1/4" stiles  
P-057 raise shown




**CRP-10797**



7" x 4"  
1-1/2" rails  
2-1/4" stiles  
P-057 raise shown




**LaSalle**



4-7/8" x 4-7/8"  
2" framing  
P-057 raise shown




**Marquis**



4-7/8" x 4-7/8"  
2" framing  
P-057 raise shown




**Radcliffe**



7-1/4" x 5-5/8"  
1-1/2" rails  
2-1/4" stiles  
1/4" Veneered panel




**Ridgemont**




7-7/8" x 4-3/4"  
1-1/2" rails  
2-3/4" stiles  
P-057 raise shown




**Verona**



7-1/4" x 5-5/8"  
1-1/2" rails  
2-1/4" stiles  
1/4" Veneered panel



**Wayland**



7" x 4"  
1-1/2" rails  
2-1/4" stiles  
P-057 raise shown

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Horizontal grain direction standard unless otherwise noted; vertical grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	<p>LaSalle and Marquis – 3/4" Alder, Cherry, Hard Maple, Paint Grade Hard Maple, Red Oak and Soft Maple. Alder and Cherry utilize Cherry Rope moulding. Hard Maple, Paint Grade Hard Maple and Soft Maple utilize Hard Maple Rope moulding. Red Oak utilize Red Oak Rope moulding. Radcliffe – 3/4" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Quarter Sawn White Oak, Red Oak, Rift Cut White Oak and White Oak only. Verona – all 3/4" species available except Rustic Knotty and Soft Maple. All other designs – all 3/4" species available.</p> <p><b>Note:</b> Applied moulding designs produced in Quarter Sawn and Rift Cut White Oak utilize Standard grade applied mouldings and may contain small cathedrals, angled grain or other characteristics of flat cut White Oak lumber, which are considered acceptable.</p>
Edge Profiles	
pg 7.1	<p>LaSalle – design specific, no options available. Radcliffe – standard as shown (L-966), all other 3/4" profiles available. All other designs – all 3/4" profiles available.</p> <p>CRP-10A48 – all 1" profiles available.</p>
Framing Beads	
pg 7.2	<p>CRP-10A48 – all 3/4" and 1" profiles available. All other designs – design specific, no options available.</p>
Panel Raises	
pg 7.2A	<p>CRP-10161 – design specific, no options available. CRP-10A48 – all 3/4" and 1" profiles available. CRP-101728 – P-057, P-602, Presidential and Reverse G-Cove only. CRP-10797 – P-057, M-Bead, Presidential, Reverse G-Cove and RM only. LaSalle and Marquis – all 3/4" profiles available. Radcliffe and Verona – 1/4" plywood panel only. Ridgemont – P-057, P-602 and Reverse G-Cove only. Wayland – P-057, P-602, M-Bead, Presidential, Reverse G-Cove and RM only.</p>
Options	
pgs 7.3-7.15	<p>LaSalle – back-routed hand pull and sample ID label only. Marquis – G-012, G-056 panel grooves, radius corners, distressing, wear sanding, sample ID label and back-routed hand pull. All other designs – back-routed hand pull, sample ID label, distressing, G-012 G-015 and G-056 panel grooves, pegs, radius corners and wear sanding.</p> <p><b>Note:</b> Verona – applied moulding is installed against the framing bead, but does not overlap. This construction can result in a black line between the framing bead and applied moulding when using painted finishes and is not considered a defect. To avoid this potential issue, order the TW-101728 when utilizing a painted finish.</p> <p>Prefinished LaSalle drawer front in specific specie and finish combinations will receive the Wood Conditioner Option unless instructed not to by customer.</p>

**Applied Moulding – Plywood Slab Doors**




**Aspen**

*matching drawer front available*




4" x 4"  
1/2" wide moulding  
on face  
1" thick moulding  
3/4" Veneered panel



**Boulder**

*matching drawer front available*



4" x 4"  
7/16" wide moulding on  
face  
15/16" thick moulding  
3/4" Veneered panel




**Fargo**

*matching drawer front available*




4" x 4"  
13/16" wide moulding on  
face  
1" thick moulding  
3/4" Veneered panel




**Omaha**

*matching drawer front available*



4" x 4"  
3/4" wide moulding  
on face  
1" thick moulding  
3/4" Veneered panel



**Topeka**

*matching drawer front available*




4" x 4"  
3/4" wide moulding  
on face  
1" thick moulding  
3/4" Veneered panel

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift Cut White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. 3/4" thick Rift Cut panels use rift cut on face and back. All other Rift Cut plywood uses rift cut veneer on face, plain slice on back. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request.


**Offering And Availability**

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	All designs – 1" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Rift Cut White Oak and Walnut – see chart below for pricing.
Edge Profiles	
pg 7.1	All designs – design specific, no options available.
Framing Beads	
pg 7.2	All designs – design specific, no options available.
Panel Raises	
pg 7.2A	All designs have 3/4" veneered panel, except PGHM Hybrid which is a 3/4" MDF panel.
Mullions/Frame Only	
pg 6.1-6.13	<p>All designs – mullions not available. Frame only doors available in all eligible species. See pricing chart below. Because the frame only design uses drill &amp; dowel construction, vertical joint lines are visible where rails intersect with stiles.</p> <p><b>Note:</b> Paint Grade Hard Maple Hybrid utilizes #52, #906 or #907 glass retainer mouldings used on frame only door. Specify desired retainer moulding when ordering.</p> <p><b>Note:</b> Frame only door pricing is calculated using (list) Design Charge, plus the actual square footage of the door multiplied by the material square foot charge. In addition, the following retainer moulding upcharge must be added.</p> <p>A medium grey retainer moulding is automatically included (upcharge applies). The retainer moulding covers the raw substrate, eliminating the need to paint or mask visible substrate.</p> <p>1.0 to 4.0 sq. ft. 4.01 to 7.0 sq. ft. 7.0 sq. ft. or larger</p>
 <p>Retainer Moulding</p>	
Options	
pgs 7.3-7.15	All designs – concealed hinge boring, sample ID label, antiquing, distressing and wear sanding.
Matching/Complementary Drawer Fronts	
pgs 4.42-4.43, 4.62-4.63	All available.

Material Charges			
Specie	Price	Specie	Price
Cherry		PGHM Hybrid	
Maple, Hard		Walnut	
Oak, White, Rift Cut			

## Applied Moulding – Plywood Slab Drawer Fronts



**Aspen**



4" x 4"  
1/2" wide moulding  
on face  
1" thick moulding  
3/4" Veneered panel



**Boulder**



4" x 4"  
7/16" wide moulding on  
face  
15/16" thick moulding  
3/4" Veneered panel



**Fargo**



4" x 4"  
13/16" wide moulding on  
face  
1" thick moulding  
3/4" Veneered panel



**Hastings**




3-3/4" x 3-3/4"  
11/16" wide moulding on  
face  
1-1/16" thick moulding  
9/16" Veneered panel



**Omaha**




4" x 4"  
3/4" wide moulding  
on face  
1" thick moulding  
3/4" Veneered panel




**Rothbury**



3-3/4" x 3-3/4"  
1" wide moulding  
on face  
15/16" thick moulding  
9/16" Veneered panel



**Topeka**



4" x 4"  
3/4" wide moulding  
on face  
1" thick moulding  
3/4" Veneered panel

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch, Quarter Sawn and Rift Cut White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. 3/4" thick Rift Cut White Oak panels use rift cut on face and back. All other Rift Cut plywood uses rift cut veneer on face, plain slice on back. Horizontal grain direction standard unless otherwise noted; vertical grain available upon request.


**Offering And Availability**

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	Hastings and Rothbury available in 1" Cherry, Hard Maple, Red Oak and Walnut. Aspen, Boulder, Fargo, Omaha and Topeka available in 1" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Rift Cut White Oak and Walnut. See chart below for pricing.
<b>Edge Profiles</b>	
pg 7.1	All designs – design specific, no options available.
<b>Framing Beads</b>	
pg 7.2	All designs – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	Aspen, Boulder, Fargo, Omaha and Topeka drawer fronts have 3/4" veneered panel, except PGHM Hybrid which is an MDF panel. Hastings and Rothbury drawer fronts have 9/16" veneered panel.
<b>Options</b>	
pgs 7.3-7.15	Aspen, Boulder, Fargo, Omaha and Topeka – sample ID label, antiquing, distressing, wear sanding and hybrid seal coat. Hastings and Rothbury – sample ID label, distressing and End Grain Sealer.


<b>Material Charges</b>			
<b>Specie</b>	<b>Price</b>	<b>Specie</b>	<b>Price</b>
Cherry		Oak, White, Rift Cut	
Maple, Hard		PGHM Hybrid	
Oak, Red		Walnut	

## Shaker Doors




**Albany**

*matching drawer front available*




7" x 6-3/4"  
2-1/4" framing  
3/8" Reverse G-Cove  
raise shown




**Amesbury**

*matching drawer front available*




7-1/2" x 7-1/2"  
2-1/4" framing  
5/8" Reverse G-Cove  
raise shown




**Bristol**

*matching drawer front available*




7-7/8" x 6-3/8"  
2-3/4" framing  
9/16" Veneered Panel  
Essex Rout standard  
on stiles




**Cortland**

*matching drawer front available*




9-3/8" x 7-7/8"  
3-1/2" framing  
9/16" Veneered Panel



**Fairhaven**

*matching drawer front available*




7-3/16" x 7-3/16"  
2-1/4" framing  
1/2" Reverse G-Cove  
raise shown  
Joints have eased edges,  
creating the appearance of  
an open joint.




**Madison\***

*matching drawer front available*




7-3/16" x 7-3/16"  
2-5/16" framing  
1/2" Reverse G-Cove  
raise shown




**Sheldon**

*complementary drawer front available*




11-3/8" x 7"  
2-1/4" framing  
3/8" Reverse G-Cove  
raise shown



**Stockbridge**

*matching drawer front available*



7" x 5"  
2-1/4" framing  
1/4" Veneered Panel


\*Due to construction complexity, all multiple panel Madison doors include an additional charge per middle and upright rail plus the per-panel Design Charge. All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	Albany, Amesbury, Fairhaven and Sheldon – all 3/4" species available. Bristol and Cortland – 3/4" Cherry, Hard Maple, Paint Grade Hard Maple Hybrid, Red Oak, Rift Cut White Oak and Walnut only. Madison – all 3/4" species available except Rustic Knotty. Stockbridge – all 3/4" species available except Rustic Knotty and Soft Maple.
<b>Edge Profiles</b>	
pg 7.1	Fairhaven – all 3/4" profiles available except LC Inset, L-297 and L-304. All other designs – all 3/4" profiles available.
<b>Framing Beads</b>	
pg 7.2	All designs – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	Amesbury – 3/8" and 5/8" Reverse G-Cove. Stockbridge – 1/4" veneered panel only. All other designs – design specific, no options available
<b>Options</b>	
pgs 7.3-7.15	All designs – all options available.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	All designs – available in frame only and mullions. Amesbury, Bristol, Cortland and Fairhaven mullion default to CRP-10 with Square bead mullions. Madison mullion defaults to CRP-10751MT with Regular bead mullions, Square bead mullions also available.
<b>Matching/Complementary Drawer Fronts</b>	
pgs 4.46-4.47, 4.62-4.63	All available except Sheldon. Sheldon – order TW-1038 drawer front.

## Shaker Drawer Fronts




**Albany**




7" x 3-7/8"  
1-1/2" rails  
2-1/4" stiles  
P-057 raise shown




**Amesbury**



7" x 4-1/4"  
1-1/2" rails  
2-1/4" stiles  
P-259 raise shown




**Bristol**



7-7/8" x 3-7/8"  
1-1/2" rails  
2-3/4" stiles  
9/16" Veneered Panel  
Essex Rout standard  
on stiles




**Cortland**



9-3/8" x 3-7/8"  
1-1/2" rails  
3-1/2" stiles  
9/16" Veneered Panel




**Fairhaven**




7" x 5-1/2"  
2-1/4" framing  
P-116 raise shown




**Madison**




7" x 5-1/2"  
2-5/16" framing  
P-116 raise shown



**Sheldon**



7" x 3-7/8"  
1-1/2" rails  
2-1/4" stiles  
P-057 raise shown



**Stockbridge**



7" x 3-3/8"  
1-1/2" rails  
2-1/4" stiles  
1/4" Veneered Panel


All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Horizontal grain direction standard unless otherwise noted; vertical grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

**Offering And Availability**

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.


<b>Species</b>	
Material Pricing Guide	Albany, Amesbury, Fairhaven and Sheldon – all 3/4" species available. Bristol and Cortland – 3/4" Cherry, Paint Grade Hard Maple Hybrid, Red Oak, Rift Cut White Oak and Walnut only. Madison – all 3/4" species available except Rustic Knotty. Stockbridge – all 3/4" species available except Rustic Knotty and Soft Maple.
<b>Edge Profiles</b>	
pg 7.1	Fairhaven – all 3/4" profiles available except LC Inset, L-297 and L-304. All others – all 3/4" profiles available.
<b>Framing Beads</b>	
pg 7.2	All designs – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	All designs – design specific, no options available.
<b>Options</b>	
pgs 7.3-7.15	All designs – all options available.

**Statesman Collection Doors**




**Churchill**

*matching drawer front available*




8-7/8" x 8-7/8"  
2-3/4" framing  
P-008 raise shown



**Franklin**

*matching drawer front available*




8-7/8" x 8-7/8"  
2-3/4" framing  
P-008 raise shown




**Hancock**

*matching drawer front available*




9" x 9"  
2-3/4" framing  
P-602 raise shown




**Lafayette**

*matching drawer front available*



7-7/8" x 7-5/8"  
2-3/4" framing  
Reverse G-Cove raise shown  
Vertical grain only  
G-056 groove  
1-1/2" spacing



**Monroe**

*matching drawer front available*



9" x 9"  
2-3/4" framing  
P-602 raise shown

Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	All designs – all 3/4" species available. <b>Note:</b> Applied moulding designs produced in Quarter Sawn and Rift Cut White Oak utilize Standard grade applied mouldings and may contain small cathedrals, angled grain or other characteristics of flat cut White Oak lumber, which are considered acceptable.
<b>Edge Profiles</b>	
pg 7.1	All 3/4" profiles available.
<b>Framing Beads</b>	
pg 7.2	Churchill, Franklin, Lafayette and Monroe – all 3/4" profiles available. Hancock – design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	Churchill and Franklin – all 3/4" profiles available. Hancock – P-057, P-602, Presidential and Reverse G-Cove only. Lafayette – design specific, no options. Monroe – defaults to P-602; G-Cove and Reverse G-Cove also available.
<b>Options</b>	
pgs 7.3-7.15	Churchill, Franklin, Hancock and Monroe – all options available. Lafayette – all options available except G-012 and G-015 panel grooves and Essex Rout.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	All designs – available in frame only and mullions. Hancock mullion incurs special lite charges.
<b>Matching/Complementary Drawer Fronts</b>	
pgs 4.50-4.51, 4.62-4.63	All available.


**Statesman Collection Drawer Fronts**



**Churchill**



7-7/8" x 4-7/8"  
 2" rails  
 2-3/4" stiles  
 P-057 raise shown




**Franklin**




8-3/8" x 5-7/8"  
 1-1/2" rails  
 2-3/4" stiles  
 Slant raise shown




**Hancock**



7-7/8" x 5-1/8"  
 1-1/2" rails  
 2-3/4" stiles  
 3/8" Reverse G-Cove  
 raise shown




**Lafayette**



7-7/8" x 3-7/8"  
 1-1/2" rails  
 2-3/4" stiles  
 P-057 raise shown  
 Vertical grain only  
 G-056 groove  
 1-1/2" spacing



**Monroe**



8-3/8" x 5-7/8"  
 1-1/2" rails  
 2-3/4" stiles  
 G-Cove raise shown


Horizontal grain direction standard unless otherwise noted; vertical grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.


Species	
Material Pricing Guide	All designs – all 3/4" species available. <b>Note:</b> Applied moulding designs produced in Quarter Sawn and Rift Cut White Oak utilize Standard grade applied mouldings and may contain small cathedrals, angled grain or other characteristics of flat cut White Oak lumber, which are considered acceptable.
Edge Profiles	
pg 7.1	All designs – all 3/4" profiles available.
Framing Beads	
pg 7.2	Churchill, Franklin, Lafayette and Monroe – all 3/4" framing beads available. Hancock – design specific, no options available.
Panel Raises	
pg 7.2A	Churchill and Franklin – all 3/4" profiles available. Monroe – P-057, P-602; G-Cove and Reverse G-Cove only. All other designs – design specific, no options available.
Options	
pgs 7.3-7.15	Churchill, Franklin, Hancock and Monroe – all options available. Lafayette – vertical grain only, all options available except G-012 and G-015 panel grooves.

## Grooved Panel Collection Doors




**Alexandria\***

*matching drawer front available*




5-1/4" x 5-1/4"  
 13/16" wide framing on face  
 P-884 raise shown  
 Vertical grain only  
 G-239 groove  
 5/16" reed width




**Tripoli\***

*matching drawer front available*




7" x 7"  
 2-1/4" framing  
 3/8" Reverse G-Cove  
 raise shown  
 Vertical grain only  
 G-239 groove  
 5/16" reed width




**Ardmore**

*matching drawer front available*



7 x 6-3/4"  
 2-1/4" framing  
 3/8" Reverse G-Cove  
 raise shown  
 Vertical grain only  
 G-015 groove  
 1-1/2" spacing




**Yardley**

*matching drawer front available*




7" x 6-3/4"  
 2-1/4" framing  
 3/8" Reverse G-Cove  
 raise shown  
 Vertical grain only  
 G-012 groove  
 1-1/2" spacing




**EriksonPP**

*matching drawer front available*



Stile cross section



Rail cross section

7" x 7"  
 2-1/4" framing  
 1/4" Veneered Panel  
 Horizontal grain only  
 G-015 groove  
 4" spacing

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.


\*Due to machining limitations, all Alexandria and Tripoli single panel widths cannot exceed 24". For panel widths greater than 24", order using a multi-panel design.

## Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

<b>Species</b>	
Material Pricing Guide	Alexandreia – all 1" species available except Rustic Knotty. Tripoli – all 3/4" species available except Rustic Knotty. EriksonPP – all 3/4" species available except Rustic Knotty and Soft Maple. Ardmore and Yardley – all 3/4" species available.
<b>Edge Profiles</b>	
pg 7.1	Alexandreia – B-2, L-034, L-149, L-253, L-686, L-1160, Machine Edge and V-2 only. All other designs – all 3/4" profiles available.
<b>Framing Beads</b>	
pg 7.2	Alexandreia and EriksonPP designs – design specific, no options available. Ardmore, Tripoli and Yardley – all 3/4" profiles available.
<b>Panel Raises</b>	
pg 7.2A	All designs – design specific, no options available.
<b>Options</b>	
pgs 7.3-7.15	Alexandreia – putty pin holes, cross grain sanding, wear sanding, antiquing and concealed hinge boring only. EriksonPP – all options available except panel grooves, vertical grain panel, weathered grain and wood conditioner. Tripoli – all options except panel grooves, end grain sealant, wood conditioner, weathered grain, distressing, wear sanding and antiquing. Ardmore and Yardley – all options available except horizontal grain, panel grooves, weathered grain and wood conditioner.  <b>Note:</b> Alexandreia and Tripoli are available with only non-glazed finishes.
<b>Mullions/Frame Only</b>	
pgs 6.1-6.13	Alexandreia – mullions not available. Frame only doors available in all eligible species. Multi-panel frame only doors not available. All other designs – available in frame only and mullions. EriksonPP and Tripoli mullions – order as CRP-10 with Square bead framing and Square bead mullions – incur standard lite charges. Ardmore and Yardley – mullions incur standard lite charges.  <b>Note:</b> The Alexandreia frame only design must be ordered as ALEXANDREIAFO. The overall framing width on the face of the frame only door is 2-1/2".
<b>Matching/Complementary Drawer Fronts</b>	
pgs 4.54-4.55, 4.62-4.63	All available.


## Grooved Panel Collection Drawer Fronts




**Alexandria\***




5-1/4" x 5-1/4"  
 13/16" wide framing on face  
 P-884 raise shown  
 Vertical grain only  
 G-239 groove  
 5/16" reed width




**Tripoli\***




7" x 3-7/8"  
 1-1/2" rails  
 2-1/4" stiles  
 P-057 raise shown  
 Vertical grain only  
 G-239 groove  
 5/16" reed width



**Ardmore**



7" x 5-1/8"  
 1-1/2" rails  
 2-1/4" stiles  
 3/8" Reverse G-Cove  
 raise shown  
 Vertical grain only  
 G-015 groove  
 1-1/2" spacing




**Yardley**




7" x 5-1/8"  
 1-1/2" rails  
 2-1/4" stiles  
 3/8" Reverse G-Cove  
 raise shown  
 Vertical grain only  
 G-012 groove  
 1-1/2" spacing



**EriksonPP**



Stile cross section



Rail cross section

7" x 3-7/8"  
 1-1/2" rails  
 2-1/4" stiles  
 1/4" Veneered Panel  
 Horizontal grain only  
 G-015 groove  
 4" spacing

\*Due to machining limitations, all Alexandria and Tripoli single panel widths cannot exceed 24". For panel widths greater than 24", order using a multi-panel design. All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and plain sliced back. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Vertical grain direction standard unless otherwise noted. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

**Offering And Availability**

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.


<b>Species</b>	
Material Pricing Guide	Alexandreia – all 1" species available except Rustic Knotty. Tripoli – all 3/4" species available except Rustic Knotty. EriksonPP – all 3/4" species available except Rustic Knotty and Soft Maple. Ardmore and Yardley – all 3/4" species available.
<b>Edge Profiles</b>	
pg 7.1	Alexandreia – B-2, L-034, L-149, L-253, L-686, L-1160, Machine Edge and V-2 only. All other designs - all 3/4" profiles available.
<b>Framing Beads</b>	
pg 7.2	Ardmore, Tripoli and Yardley – all 3/4" framing beads available. All other designs - design specific, no options available.
<b>Panel Raises</b>	
pg 7.2A	Tripoli - P-057 and Reverse G-Cove only. All other designs – design specific, no options available.
<b>Options</b>	
pgs 7.3-7.15	Alexandreia - putty pin holes, cross grain sanding, wear sanding, antiquing and concealed hinge boring only. EriksonPP - all options available except panel grooves, vertical grain panel, weathered grain and wood conditioner. Ardmore and Yardley - all options available except horizontal grain panel, panel grooves, weathered grain and wood conditioner. Tripoli - all options except panel grooves, end grain sealant, wood conditioner, weathered grain, distressing and wear sanding.  <b>NOTE:</b> Alexandreia and Tripoli are available with only non-glazed finishes.

**1" Thick Door Collection**



**CRP-10**


matching drawer front available



7-1/2" x 7-1/2"


2-1/4" framing

Slant raise shown



**CRP-10A48**


matching drawer front available



8-7/8" x 8-7/8"


3" framing

P-raise shown



**CRP-30**

matching drawer front available



8-1/4" x 8-1/2"


2-1/4" framing

Slant raise shown



**Normandie**


matching drawer front available



9-3/4" x 9-3/4"


3-3/8" framing

P-317 raise shown



**Provence**


matching drawer front available



9-7/8" x 9-7/8"


3-3/8" framing

P-320 raise shown



**Staffordshire**


matching drawer front available



10-3/8" x 10-3/8"

3-3/8" framing

P-316 raise shown



**Venus78**


matching drawer front available



5-1/4" x 5-1/4"


13/16" wide framing on face

7/8" thick framing



**Woodridge (miter)**

matching drawer front available



9-7/16" x 9-7/16"

3-1/2" framing

1/2" Reverse G-Cove raise shown


Due to construction complexity, all multiple panel miter doors include an additional charge per middle and upright rail plus the per-panel Design Charge. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Framing width listed is determined by measuring across the back of the framing unless otherwise noted. All 1" thick doors will incur a 30% material upcharge. If premium grade is selected, additional upcharges will apply. Except for Venus design, framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability


All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	<p>CRP-10, CRP-10A48 and CRP-30 – all 3/4" and 1" species available. Normandie, Provence and Staffordshire – 1" Alder, Cherry, Hard Maple, Paint Grade Hard Maple, Pine, Red Oak, Soft Maple, Walnut and White Oak only. Venus78 - all 3/4" species available except Bamboo and Rustic Knotty and all 1" species available except Rustic Knotty. 3/4" species must be ordered as VENUS. Woodridge – all 1" species available except Knotty Pine, Rift Cut White Oak and Rustic Knotty.</p> <p><b>Note:</b> Applied moulding designs produced in Quarter Sawn and Rift Cut White Oak utilize Standard grade applied mouldings and may contain small cathedrals, angled grain or other characteristics of flat cut White Oak lumber, which are considered acceptable.</p>
Edge Profiles	
pg 7.1	<p>CRP-10, CRP-10A48 and CRP-30 – all 3/4" and 1" profiles available. Venus78 – B-2, L-034, L-149, L-253, L-686, L-1160, Machine Edge and V-2 only. Woodridge – design specific, no options available. All other designs – all 1" profiles available.</p>
Framing Beads	
pg 7.2	<p>CRP-10, CRP-10A48 and CRP-30 – all 3/4" and 1" profiles available. All other designs – design specific, no options available.</p>
Panel Raises	
pg 7.2A	<p>CRP-10, CRP-10A48, and CRP-30 – all 3/4" and 1" profiles available. Normandie, Provence and Staffordshire – 3/8" Reverse G-Cove, P-316, P-317 and P-320 only. Venus78 – design specific, no options available. Woodridge – all 1" profiles available.</p>
Options	
pgs 7.3-7.15	<p>Venus78 - concealed hinge boring, panel grooves, back-routed hand pull, sample ID label, antiquing, weathered grain, distressing, wear sanding and hybrid seal coat only. Woodridge – G-012, G-015 and G-056 panel grooves, distressing, antiquing, back-routed hand pull, sample ID label and concealed hinge boring only. All other designs – all options available.</p> <p><b>Note:</b> Prefinished Woodridge designs in specific specie and finish combinations will receive the Wood Conditioner Option unless instructed not to by customer.</p>
Mullions/Frame Only	
pgs 6.1-6.13	<p>Venus78 - mullions not available. Frame only doors available in all eligible species. Multi-panel frame only doors not available. All other designs – available in frame only and mullions. Square bead standard on Woodridge.</p> <p><b>Note:</b> The Venus frame only must be ordered as VENUS78FO. The overall framing width on the face of the frame only door is 2-1/2".</p>
Matching/Complementary Drawer Fronts	
pgs 4.58-4.59, 4.62-4.63	<p>All available except CRP-30.</p>

**1" Thick Drawer Front Collection**




**CRP-10**



7-1/2" x 5-7/8"  
 1-1/2" rails  
 2-1/4" stiles  
 Slant raise shown




**CRP-10A48**




8-3/8" x 4-7/8"  
 2" rails  
 3" stiles  
 P-116 raise shown




**Normandie**



9-1/8" x 5-3/8"  
 2-1/4" rails  
 3-3/8" stiles  
 P-057 raise shown




**Provence**




9-1/8" x 5-3/8"  
 2-1/4" rails  
 3-3/8" stiles  
 P-057 raise shown




**Staffordshire**




9-1/8" x 5-3/8"  
 2-1/4" rails  
 3-3/8" stiles  
 P-057 raise shown




**Venus78**



5-1/4" x 5-1/4"  
 13/16" wide framing on face  
 7/8" thick framing



**Woodridge (miter)**



5-3/8" x 5-3/8"  
 2-1/4" framing  
 P-116 raise shown

All 1" thick drawer fronts will incur a 30% material upcharge. If premium grade is selected, additional upcharges will apply. Horizontal grain direction standard unless otherwise noted; vertical grain available upon request. Minimums listed are based on panel raise shown and will vary by raise; see Offering and Availability for additional options. Except for Venus design, framing width listed is determined by measuring across the back of the framing unless otherwise noted.

### Offering And Availability

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.


Species	
Material Pricing Guide	<p>CRP-10 and CRP-10A48 – all 3/4" and 1" species available. Normandie, Provence and Staffordshire – 1" Alder, Cherry, Hard Maple, Paint Grade Hard Maple, Pine, Red Oak, Soft Maple, Walnut and White Oak only. Venus78 - all 3/4" species available except Bamboo and Rustic Knotty and all 1" species available except Rustic Knotty. 3/4" species must be ordered as VENUS. Woodridge – all 1" species available except Knotty Pine, Rift Cut White Oak and Rustic Knotty.</p> <p><b>Note:</b> Applied moulding designs produced in Quarter Sawn and Rift Cut White Oak utilize Standard grade applied mouldings and may contain small cathedrals, angled grain or other characteristics of flat cut White Oak lumber, which are considered acceptable.</p>
Edge Profiles	
pg 7.1	<p>CRP-10 and CRP-10A48 – all 3/4" and 1" profiles available. Venus78 – B-2, L-034, L-149, L-253, L-686, L-1160, Machine Edge and V-2 only. Woodridge – design specific, no options available. All other designs – all 1" profiles available.</p>
Framing Beads	
pg 7.2	<p>CRP-10 and CRP-10A48 – all 3/4" and 1" profiles available. All other designs – design specific, no options available.</p>
Panel Raises	
pg 7.2A	<p>CRP-10 and CRP-10A48 – all 3/4" and 1" profiles available. Normandie, Provence and Staffordshire – 3/8" Reverse G-Cove, P-316, P-317 and P-320 only. Venus78– design specific, no options available. Woodridge – all 1" profiles available.</p>
Options	
pgs 7.3-7.15	<p>Venus78 – panel grooves, back routed hand pull, sample ID label, antiquing, weathered grain, distressing, wear sanding and hybrid seal coat only. Woodridge – G-012, G-015 and G-056 panel grooves, distressing, antiquing, back-routed hand pull and sample ID label only. All other designs – pegs, G-012, G-015 and G-056 panel grooves, radius corners, distressing, wear sanding, back-routed hand pull and sample ID label.</p> <p><b>Note:</b> Prefinished Woodridge designs in specific specie and finish combinations will receive the Wood Conditioner Option unless instructed not to by customer.</p>

### 3-Piece and Batten Doors



**Aurora**

*matching drawer front available*



7-1/2" x 7-1/2"

Stiles - 2-1/4" framing on face.

Horizontal grain standard on panel.


Solid wood framing sits slightly higher than 3/4" thick plywood panel.

MDF core plywood panel.



**Flush Batten**


*matching drawer front available*



6" x 7-1/2"

Battens are attached to back.

See Batten Specifications below.



**Batten Specifications**

Batten location - 3" from top and bottom of door. 1-7/8" from each door edge.

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift Cut White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. 3/4" thick Rift Cut panels use rift cut on face and back. All other Rift Cut plywood uses rift cut veneer on face, plain slice on back. Vertical grain direction standard unless otherwise noted; horizontal grain available upon request. Framing width listed is determined by measuring across the back of the framing unless otherwise noted.

\*\*See the one-piece design pricing chart on the opposite page for additional pricing information.

**Offering And Availability**

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide Aurora – pg 4.61	Aurora – panel available in 3/4" plywood in species listed in chart at bottom of page; framing available in all 3/4" species except Rustic Knotty. Matching specie solid wood edgeband on top and bottom of panel. Flush Batten - all 3/4" species available.
Edge Profiles	
pg 7.1	Aurora – top and bottom, design specific; stiles – all 3/4" profiles available. Flush Batten designs – all 3/4" available.
Framing Beads	
pg 7.2	All designs – design specific, no options available.
Panel Raises	
pg 7.2A	All designs – design specific, no options available.
Options	
pgs 7.3-7.15	Aurora – concealed hinge boring, pegs, radius corners, sample ID label and putty pin holes only. Flush Batten – all options available except Essex Rout.
Mullions/Frame Only	
pgs 6.1-6.13	All designs – frame only not available. For mullions order as a CRP-10 mullion door with Square bead framing.
Matching/Complementary Drawer Fronts	
pgs 4.62-4.63	Available for Aurora and Flush Batten.

Solid Wood 1-Piece Slab Design Upcharges						
		Length/Width				
Width/Length	Min to 39-15/16"	40" to 54-15/16"	55" to 79-15/16"	80" to 99-15/16"	100" to 119-15/16" <sup>*</sup>	120" to 144" <sup>†</sup>
<b>Min to 11-15/16"</b>	Slab Design Charge	Slab Design Charge	Slab Design Charge +	Slab Design Charge +	Slab Design Charge +	Slab Design Charge +
<b>12" to 20-15/16"</b>	Slab Design Charge	Slab Design Charge	Slab Design Charge +	Slab Design Charge +	Slab Design Charge +	Slab Design Charge +
<b>21" to 35-15/16"</b>	Slab Design Charge	Slab Design Charge +	Slab Design Charge +			

Any solid wood Slab products exceeding 35-15/16" in width (across the grain) will be quoted by Special Designs.  
**\*100 to 119-15/16" specie availability:** 3/4" thick species include Cherry, Hard Maple, Hickory, Paint Grade Hard Maple, Quarter Sawn White Oak, Red Oak, Rift Cut White Oak, Rustic Knotty Cherry, Rustic Knotty Hard Maple, Soft Maple, Walnut and White Oak. 1" thick species (1" upcharge applies) include Cherry, Hard Maple, Red Oak and Soft Maple.  
**†120" to 144" specie availability:** 3/4" thick species include Cherry, Hard Maple, Hickory, Paint Grade Hard Maple, Quarter Sawn White Oak, Red Oak, Rift Cut White Oak, Soft Maple, Walnut, White Birch and White Oak. 1" thick species (1" upcharge applies) include Cherry, Hard Maple, Paint Grade Hard Maple and Soft Maple.

Aurora Material Charges			
Specie	Price	Specie	Price
Bamboo		Oak, White, Rift Cut	
Cherry		PGHM Hybrid	
Maple, Hard		Walnut	

When ordering mixed panel and framing species, add 10% to panel Material Charge above.


**1-Piece and 3-Piece Drawer Fronts**




**Slab**




1-1/2" x 2-1/2"  
Any edge profile  
3/4" or 1" slab




**#10**



3" x 3"  
Matches slant raise  
3/4" or 1" slab




**Keystone**



2-3/4" x 2-3/4"  
Matches G-Cove raise  
3/4" or 1" slab



**Marcel\*\***




3-1/2" x 3-1/2"  
3/4" or 1" slab  
Presidential raise shown




**10141**




3-1/4" x 3-1/4"  
3/4" or 1" slab




**1-1/8" Sandwich**



3-1/2" x 3-1/2"  
3/4" Slant raise shown  
Specify panel raise and edge profile  
Two slabs are glued together to create a thicker drawer front



**Aurora**



7-1/2" x 2-3/4"  
Stiles - 2-1/4" framing on face  
Horizontal grain standard on panel.  
Solid wood framing sits slightly higher than 3/4" thick plywood panel

All plywood panel designs use a veneered, composite core panel. All plywood panels except Red and White Birch and Quarter Sawn and Rift White Oak use a plain sliced or half round face and plain sliced or rotary back veneer. Red and White Birch use a rotary face and back. Quarter Sawn White Oak uses a quarter sawn face and plain sliced back. Rift Cut White Oak uses a rift cut face and back. Framing width listed is determined by measuring across the back of the framing unless otherwise noted. All 1" and 1-1/8" thick drawer fronts will incur a 30% material upcharge. If premium grade is selected, additional upcharges will apply. Horizontal grain direction standard unless otherwise noted; vertical grain available upon request.

\*\*See the one-piece design pricing chart on the opposite page for additional pricing information.

### Offering And Availability

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide Aurora – pg 4.63	Slab, #10, Keystone, Marcel and 10141 – all 3/4" and 1" species available. 1-1/8" Sandwich – all 3/4" species available except Bamboo. Aurora – panel available in 3/4" plywood in species listed in the chart at bottom of this page – framing available in all 3/4" species except Rustic Knotty. Matching specie solid wood edgeband on top and bottom edged panel.
Edge Profiles	
pg 7.1	3/4" Slab, 1" #10, 1" Keystone and 1-1/8" Sandwich – all 3/4" profiles available. 3/4" #10 - all 3/4" profiles available except B and C. 10141 and Marcel – all profiles available except B and C. Aurora top and bottom edge– design specific, stiles – Machine Edge standard, all 3/4" profiles available.
Panel Raises	
pg 7.2A	Keystone, #10, 10141 – design specific, no options available. 1-1/8" Sandwich and Marcel – all 3/4" profiles available except P-057 and Reverse G-Cove.
Options	
pgs 7.3-7.15	Slab – pegs, radius corners, back-routed hand pull, sample ID label, distressing and wear sanding only. Aurora – pegs, radius corners, sample ID label and putty pin holes only. All other designs – back-routed hand pull, sample ID label, distressing and wear sanding only.

### Solid Wood 1-Piece Slab Design Upcharges

Width/Length	Length/Width					
	Min to 39-15/16"	40" to 54-15/16"	55" to 79-15/16"	80" to 99-15/16"	100" to 119-15/16"	120" to 144"†
<b>Min to 11-15/16"</b>	Slab Design Charge	Slab Design Charge	Slab Design Charge +			
<b>12" to 20-15/16"</b>	Slab Design Charge	Slab Design Charge	Slab Design Charge +			
<b>21" to 35-15/16"</b>	Slab Design Charge	Slab Design Charge +				

Any solid wood Slab products exceeding 35-15/16" in width (across the grain) will be quoted by Special Designs.

**\*100 to 119-15/16" specie availability:** 3/4" thick species include Cherry, Hard Maple, Hickory, Paint Grade Hard Maple, Quarter Sawn White Oak, Red Oak, Rift Cut White Oak, Rustic Knotty Cherry, Rustic Knotty Hard Maple, Soft Maple, Walnut and White Oak. 1" thick species (1" upcharge applies) include Cherry, Hard Maple, Red Oak and Soft Maple.

**†120" to 144" specie availability:** 3/4" thick species include Cherry, Hard Maple, Hickory, Paint Grade Hard Maple, Quarter Sawn White Oak, Red Oak, Rift Cut White Oak, Soft Maple, Walnut, White Birch and White Oak. 1" thick species (1" upcharge applies) include Cherry, Hard Maple, Paint Grade Hard Maple and Soft Maple.

### Aurora Material Charges


Specie	Price	Specie	Price
Bamboo		Oak, White, Rift Cut	
Cherry		PGHM Hybrid	
Maple, Hard		Walnut	

When ordering mixed panel and framing species, add 10% to panel Material Charge above.

**Edgebanded Doors and Drawer Fronts**



**Astoria**



**Savoy**



Min: 2" x 6"  
 Max: 48" x 96"  
 2mm matching specie veneer edgeband.  
 Vertical grain standard on doors and drawer fronts.



Min: 2" x 6"  
 Max: 48" x 96"  
 .5mm matching specie veneer edgeband.  
 Vertical grain standard on doors and drawer fronts.

<b>Astoria/Savoy – Material Charges</b> (1 sq. ft. min.)	
Bamboo (Caramelized)	
Cherry	
Maple, Hard	
Oak, White, Rift Cut	
Walnut	


Bamboo – uses Grade A vertical/caramelized veneers on face and back. Cherry and Walnut – use Grade A book matched veneers on face with Grade 1 veneers on back. Hard Maple and Rift Cut White Oak – use Grade A slip matched veneers on face with Grade 2 veneers on back. All species use 3/4" thick composite TSCA/CARB2 compliant substrates.

<b>Contrasting Specie Edgeband Option</b>	
<b>Panel Specie</b>	<b>2mm Edgeband Specie</b>
Bamboo (Caramelized)	Bamboo (Caramelized)
Cherry	Cherry
Maple, Hard	Maple, Hard
Oak, White, Rift Cut	Oak, White, Rift Cut
Walnut	Walnut

An assortment of 3/4" panel and 2mm edgeband species can be combined to create a striking appearance. Use square footage pricing of the desired panel specie plus a 10% upcharge.

### Offering And Availability

All Conestoga products are available in a wide variety of specifications to satisfy your custom needs. The information below indicates any exceptions or limitations pertaining to the designs on the previous page. For a detailed listing of a particular product specification, refer to the page indicated.

Species	
Material Pricing Guide	Astoria and Savoy – 3/4" thick Caramelized Bamboo, Cherry, Hard Maple, Rift Cut White Oak and Walnut plywood only.
Edge Profiles	
pg 7.1	All designs – design specific, no options available. For accompanying wood or MDF products, order Machine Edge to replicate Savoy and L-034 edge to replicate Astoria.
Options	
pgs 7.3-7.15	<p>All designs – weathered grain, concealed hinge boring and Soss hinge boring. Horizontal grain direction available. Sequential grain matching available; see following page for program details and pricing. Sequential Grain Match Order Form in Order Forms Section of manual.</p> <p><b>Note:</b> Colourtones, primers and Prism Paints are not available on edgeband doors. Use MDF slab with L-034 edge to replicate Astoria or Machine Edge to replicate Savoy as an alternative to utilize Colourtones, primers and Prism Paint finishes.</p>
Mullions/Frame Only	
pgs 6.1-6.13	<p>Mullion designs are available in solid Caramelized Bamboo, Cherry, Hard Maple, Rift Cut White Oak and Walnut only; order as CRP-10 door with square bead. Astoria and Savoy designs are available as frame only. Design Charges: Astoria, Savoy.</p> <p><b>Note:</b> Solid wood mullion doors may accept stain different than plywood doors.</p> <p>Please note that when Astoria or Savoy frame only is ordered, a medium gray retainer moulding is automatically included (upcharge applies). The retainer moulding covers the raw substrate eliminating the need to mask visible substrates.</p> <p><b>Note:</b> Astoria and Savoy frame only pricing is calculated using the Design Charge above plus the actual square footage multiplied by the material square foot charge. In addition, the following upcharge must be applied for retainer moulding:</p> <p>1.0 to 4.0 sq. ft. 4.01 to 7.0 sq. ft. 7.01 sq. ft. or larger</p> <div style="text-align: right;">  <p>Retainer Moulding</p> </div>

**Note:** Astoria and Savoy designs will receive a stamp on the back of the door in the bottom left corner to indicate which side is the back of the door. The stamp consists of three small indentations in a triangular pattern which in most cases will be eliminated or partially eliminated when bored for concealed hinges. Frame only options will not receive this stamp.

