


UC/CSUC - Utility Cabinet



UC/CSUC - Utility Cabinet w/Butt Doors

12-1/2" D	EXP V	FL V	~		PFD	v	~	v	~		~	NSH V	ws ✓	~	DT	
84", 90" & 96" H	Custom Size Ranges Width: 24" – 36" Height: 84" – 120" Depth: 5-1/2" – 30"						 Matching specie interior is not available ove 96" high. Natural Birch UV material will be used. When height changes, upper opening heigh changes. Lower opening height fixed at 56". 84" – 90" high has six shelves. 90-1/16" – 96" high has seven shelves. 96-1/16" – 108" high has eight shelves. 108-1/16" – 120" high has nine shelves. Separate 4" high toe platform available in all cabinet heights. Specify single or butt doors on custom size cabinets 24" wide. 							ght		
				UC	4" Hig 22484 22784	BD	U	90" H C249 C279	0BD	l	JC24	High 96BD 96BD	_			
					C3084		-	C309	-	_	-	96BD	_			
					23384		-	C339		_		96BD	_			
				UC	23684	BD	U	C369	0BD	ι	JC36	96BD				


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



UC/CSUCCS - Utility Cabinet w/Center Stile



UCD/CSUC - Utility Cabinet Deep




 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



UCD/CSUC - Utility Cabinet Deep w/Butt Doors



7


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



UCD/CSUCCS - Utility Cabinet Deep w/Center Stile



UCW/CSUCW - Utility Cabinet Wall Height Top Section

 V V V V V V V V V V V V V V V V V V V
Width: 12" – 24" Height: 84" – 120" Depth: 5-1/2" – 30" High - 30" wall cabinets. 90" high – 36" wall cabinets. 90" high – 42" wall cabinets. 96" hig
84" High 90" High 96" High
UCW1584 UCW1590 UCW1596
UCW1884 UCW1890 UCW1896 UCW2184 UCW2190 UCW2196
UCW2184 UCW2190 UCW2196 UCW2484 UCW2490 UCW2496


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



UCW/CSUCW - Utility Cabinet Wall Height Top Section w/Butt Doors





 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

Tall Cabinets



UCDW/CSUCW - Utility Cabinet Deep Wall Height Top Section

Custom Size Ranges · Top section aligns with corresponding wall cabinet
Custom Size Banges 📋 • Top section aligns with corresponding wall cabinet
Width:12" - 24" Height as follows:Width:12" - 24" Height as follows:Width:12" - 24" Height as follows:84" high - 30" wall cabinets.90" high - 36" wall cabinets.90" high - 42" wall cabinets.90" high as specie interior is not available over 96" hi Natural Birch UV material will be used.90" high as six shelves.90-1/16" - 96" high has six shelves.90-1/16" - 108" high has sight shelves.90-1/16" - 108" high has eight shelves.90-1/16" - 108" high has nine shelves.910-1/16" - 108" high has nine shelves.924 wide.910-1/16" - 108" high be platform available in all cabine heights.910-1/16" - 108" high be platform available in all cabine heights.924 wide.910-1/16" - 108 high be platform available in all cabine heights.924 wide.931932933934934935935936936937938939939939939930930930930930930930930930930930930930930940<

UCDW/CSUCW - Utility Cabinet Deep Wall Height Top Section w/Butt Doors

			EXP	FL	FUE	১১	PFU	EXI	FI	SBR	LE	155	05	NSH	ws	IVII	וע	NB	
			~	~	~	~	~	~	~	~	~	~	~	~	~	~			
	34%	Custom Size Ranges Width:24" – 36" Height: 84" – 120" Depth: 5-1/2" – 30"									avail	able over 96" high.							
96" H							ch	hen c lange 3-1/2".	s ac	net he cordi	eight ingly	t char v. Lov	nges ver o	, top penir	open ng he	ing l ight	heigl is fix	nt æd at	
~ŏ				 84" – 90" high has six shelves. 															
84", 90"								 90-1/16" – 96" high has seven 96-1/16" – 108" high has eight 							shelv	/es.			
84															has e	nas eight shelves.			
								8-1/1	6" –	120"	high	n has	nine	shel	ves.				
						 Separate 4" high heights. 					' high	toe	platf	orm	availa	able i	n all	cab	inet
				 Specify single or butt doors on custom size 24" wide. 								size	cabii	nets					
Į						84"	High		9	0" Hiç	յh		96	" Higł	า				
				UC	DW2	2484B	D	UCD	W249	0BD) ι	JCDV	N2496	6BD)				
	UCE						2784B	D	UCD	W279	0BD) ι	JCDV	N2796	6BD				
							3084E	D	UCDW3090BD) l	UCDW3096BD							
							3384E	D	UCD	W339	00BC) (JCDV	V3396	6BD				
					UC	DW	3684E	D	UCD	W369	0BD) l	JCDV	V3696	6BD				

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

7

7.6



UCDW/CSUCWCS - Utility Cabinet Deep Wall Height Top Section w/Center Stile



		V	~			~	~	~	~	~		~	~	~	~		i i
84", 90" & 96" H	L Custc Width Heigh Depth	n: 12' nt: 84	" – 24 1" – 1	4" 20"	es	h V v a 8 9 9 9 9 1 9 9 9 9 9 9 9 9 9 9 9 9 9 9	iigh. Vatura Vhen hang t 27- 34" – 9 00-1/1 06-1/1 08-1/	al Bii cab les a 1/2". 90" h 6" – 6" – (16" - ate 4	rch U inet h iccord nigh h 96" h 108" - 120 4" hig	V m neigh ding nas s nigh high high " hig hig	ateria nt cha ly. Lo six sh has s n has jh ha:	al will ange wer elve sever eigh s nin	ot ava I be u s, top openi s. n she t she e she n avai	sed. o ope ing h lves. lves.	ening leigh	hei t is 1	ght
					8	4" Hig	gh		90" H	igh		96"	High				
					U	CR15	84	ι	JCR1	590		UCR	1596				
					U	CR18	84	ι	JCR1	890		UCR	1896				
					U	CR21	84	ι	JCR2	190		UCR	2196				
					U	CR24	84	ι	JCR2	490		UCR	2496				


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



UCR/CSUCR - Utility Cabinet Reverse w/Butt Doors



UCR/CSUCRCS - Utility Cabinet Reverse w/Center Stile




 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



UCDR/CSUCR - Utility Cabinet Deep Reverse



EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	os	NSH	ws	МІ	DT	NB
~	~	~	~	~	~	~	~	~	~	~	~	~	~		

Custom Size Ranges Width: 12" – 24" Height: 84" – 120" Depth: 5-1/2" – 30"

- changes. Lower opening height fixed at 27-1/2". • 84" – 90" high has six shelves.
- 90-1/16" 96" high has seven shelves.
- 96-1/16" 108" high has eight shelves.
- 108-1/16" 120" high has nine shelves.
- Separate 4" high toe platform available in all cabinet heights.

Matching specie interior is not available over 96"


high. Natural Birch UV material will be used.

• When height changes, upper opening height

• Specify single or butt doors on custom size cabinets 24" wide.

84" High	90" High	96" High
UCDR1584	UCDR1590	UCDR1596
UCDR1884	UCDR1890	UCDR1896
UCDR2184	UCDR2190	UCDR2196
UCDR2484	UCDR2490	UCDR2496

UCDR/CSUCR - Utility Cabinet Deep Reverse w/Butt Doors




 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



UCDR/CSUCRCS - Utility Cabinet Deep Reverse w/Center Stile



U2D/CSU2D - Utility Two Drawer



	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	WS	MI	DT	NB
	~	~	~	~	~	~	~	~	~	~	~	~	~	~		
Custo Single	24"	When height changes, upper opening height changes.														
Butt [6"	• Lower drawer section aligns with 34-1/2" high														
Height: 84" – 96"						base cabinets. Drawer front heights are equal.										

- base cabinets. Drawer front heights are equal. Depth: 12", 15", 18", 21", 24",
 - 84" 90" high has four shelves.
 - 90-1/16" 96" high has five shelves.
 - 96-1/16" 108" high has six shelves.
 - 108-1/16" 120" high has seven shelves.
 - · Specify single or butt doors on custom size cabinets 24" wide.


	Single Door			Butt Doors	
84" High	90" High	96" High	84" High	90" High	96" High
U2D1884	U2D1890	U2D1896	U2D2484BD	U2D2490BD	U2D2496BD
U2D2184	U2D2190	U2D2196	U2D2784BD	U2D2790BD	U2D2796BD
U2D2484	U2D2490	U2D2496	U2D3084BD	U2D3090BD	U2D3096BD
			U2D3384BD	U2D3390BD	U2D3396BD
			U2D3684BD	U2D3690BD	U2D3696BD

Options Key: EXP = Exposed End(s) FL = Flush End(s) FUE = Flush Unexposed End(s) SS = Shaped Side PFD = Prep for False Door EXT = Extended Stile(s) FT = Flush Toe SBR = Shaped Bottom Rail LE = Leg Extension TSS = Toe Space Side OS = Omit Shelving NSH = No Shelf Holes WS = Solid Wood Shelves MI = Matching Interior DT = Dust Top NB = Natural Finished Bottom

27", 30"



U3D/CSU3D - Utility Three Drawer



UCDRRO/CSUCRRO - Utility	Cabinet Deep Reverse Rol	I-Out
	V V V V V	EXT FT SBR LE TSS OS NSH WS MI DT NB
	Width: 12" – 24" Height: 84" – 120" Depth: 12", 15", 18", 21", 24", 27", 30 • V 22 • 88 • 99 • 1 • 50 • 50 • 50 • 50 • 50 • 50 • 50 • 50	Jnits are configured with four 5" high drawer boxes. Interior panels are pre-drilled for drawer slide placement and installation. Roll-out drawers include hand pulls. Specify Standard, Circle or Ellipse (shown) pull. When height changes, upper opening height changes. Lower opening height fixed at 27-1/2". 34" – 90" high has four shelves. 360-1/16" – 96" high has five shelves. 361/16" – 108" high has six shelves. 361/16" – 120" has seven shelves. 362-1/16" – 120" has seven shelves. 363-1/16" – 120" has seven shelves. 364 - 90" high toe platform available in all cabinet heights. 364 - 90" single or butt doors on custom size 364 - 90" single or butt doors on custom size
	84" High UCDRRO1584	90" High 96" High UCDRR01590 UCDRR01596
	UCDRRO1884	
	UCDRRO2184	
	UCDRRO2484	UCDRRO2490 UCDRRO2496

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



UCDRROI/CSUCRROI - Utility Cabinet Deep Reverse Roll-Out Inset





Custom Size Ranges Width: 15" – 36" Height: 84" – 120" Depth: 12", 15", 18", 21", 24", 27", 30"

- · Specifically designed for inset applications.
- Units are configured with four 5" high drawer boxes. Interior panels are pre-drilled for drawer slide placement and installation.
- Roll-out drawers include hand pulls. Specify Standard, Circle or Ellipse (shown) pull.
- When height changes, upper opening height changes. Lower opening height fixed at 27-1/2".
- 84" 90" high has four shelves.
- + 90-1/16" 96" high has five shelves.
- 96 1/16" 108" high has six shelves.
- 108-1/16" 120" has seven shelves.
- Separate 4" high toe platform available in all cabinet heights.
- Specify single or butt doors on custom size cabinets 24" wide.

84" High	90" High	96" High
UCDRROI1584	UCDRROI1590	UCDRROI1596
UCDRROI1884	UCDRROI1890	UCDRROI1896
UCDRROI2184	UCDRROI2190	UCDRROI2196
UCDRROI2484	UCDRROI2490	UCDRROI2496

UCDRRO/CSUCRRO - Utility Cabinet Deep Reverse Roll-Out w/Butt Doors

54. D
H

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	мі	DT	NB
~	~	~	~	~	~	~	~	~	~	~	~	~			

Custom Size Ranges Width: 24" – 36" Height: 84" – 120" Depth: 12", 15", 18", 21", 24", 27", 30"

- Units are configured with four 5" high drawer boxes. Interior panels are pre-drilled for drawer slide placement and installation.
- Roll-out drawers include hand pulls. Specify Standard, Circle or Ellipse (shown) pull.
- When height changes, upper opening height changes. Lower opening height fixed at 27-1/2".
- 84" 90" high has four shelves.
- 90-1/16" 96" high has five shelves.
- 96 1/16" 108" high has six shelves.
- 108-1/16" 120" has seven shelves.
- Separate 4" high toe platform available in all cabinet heights.
- Specify single or butt doors on custom size cabinets 24" wide.

84" High	90" High	96" High
UCDRRO2484BD	UCDRRO2490BD	UCDRRO2496BD
UCDRRO2784BD	UCDRRO2790BD	UCDRRO2796BD
UCDRRO3084BD	UCDRRO3090BD	UCDRRO3096BD
UCDRRO3384BD	UCDRRO3390BD	UCDRRO3396BD
UCDRRO3684BD	UCDRRO3690BD	UCDRRO3696BD


 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



UCDRROI/CSUCRROI - Utility Cabinet Deep Reverse Roll-Out Inset w/Butt Doors






 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



ODA/CSODACS - Oven Double Opening Type A w/Center Stile




ODB/CSODB - Oven Double Opening Type B w/Butt Doors




Tall Cabinets



ODB/CSODBCS - Oven Double Opening Type B w/Center Stile





 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom


Tall Cabinets



OS/CSOSCS - Oven Single Opening w/Center Stile



RTB/CSRTB - Refrigerator Tall Both Sides w/Butt Doors



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

7.16



RTBHKXS/CSRTBHKXS - Refrigerator Tall Both w/HK-XS Lift System

EXP FL FUE SS PFI ✓ ✓ ✓ ✓ ✓ ✓ Custom Size Ranges Width: 30" – 39" Height: 84" – 120" Depth: 24" – 30" ✓	 Pression Pre	stem hardware and or weight and design d quantity of lift me binet width 15" – 24 signs. 24-1/16" – 3 e. Upcharges for 2 bbeted edge profile a not available. ddle numbers in the the height of the war BHKXS331284 has atching specie inter h. Natural Birch UV nen ordering custor ecify top cabinet he " – 18" high upper of	Image: Comparison of the stree of the s	ges. ngth or e by ions binet). er 96" d. binets s.
84" High		90" High	96" High	
RTBHKXS3312		RTBHKXS331890	RTBHKXS332496	
RTBHKXS3315		RTBHKXS332190	RTBHKXS362496	
RTBHKXS3318 RTBHKXS3612		RTBHKXS332490 RTBHKXS361890	RTBHKXS392496	
RTBHKXS3612 RTBHKXS3615		RTBHKXS361890		
RTBHKXS3618		RTBHKXS362490		
RTBHKXS3912		RTBHKXS391890		
RTBHKXS3915		RTBHKXS392190		
RTBHKXS3918				
			·	

7

Tall Cabinets



RTB/CSRTBCS - Refrigerator Tall Both Sides w/Center Stile

24"D

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
Γ	<	~	~		~	<					~	~	~	~		

Custom Size Ranges Width: 30" – 51" Height: 84" – 120" Depth: 8" – 30"

• Middle numbers in the cabinet code refer to the
height of the wall cabinet (example: RTB331284
has a 12" high upper cabinet).

- Matching specie interior is not available over 96" high. Natural Birch UV material will be used.
- When ordering custom size refrigerator cabinets specify top cabinet height.
- 21" 24" high upper cabinets have one shelf.
- 24-1/16" 27" high upper cabinet has two shelves.

84" High	90" High	96" High
RTB331284	RTB331890	RTB332496
RTB331584	RTB332190	RTB332796
RTB331884	RTB332490	RTB362496
RTB361284	RTB361890	RTB362796
RTB361584	RTB362190	RTB392496
RTB361884	RTB362490	RTB392796
RTB391284	RTB391890	
RTB391584	RTB392190	
RTB391884	RTB392490	

Refrigerator Tall Left w/Bu	tt Doors						
Custom Width: 3	FL FUE SS ✓ ✓ Size Ranges 80" – 36" 84" – 120" 3" – 30"	 ✔ ✔ ✔ • Mi • Mi • Mi • Mi • Wi • Wi	T FT SBR LE ddle numbers in ight of the wall of s a 12" high upp atching specie ir " high. Natural E ed. hen ordering cus binets specify to " – 24" high upp -1/16" – 27" high o shelves.	the cab cabinet (e per cabin hterior is Birch UV stom size op cabine er cabine	inet code example: l et). not availa material v e refrigera et height. ets have o	refer RTB3 ble ov vill be ttor	3 <u>12</u> 84 ver
	84" Hig	ıh	90" High		96" High		
	RTL33128	4BD	RTL331890BD	R	TL332496E	3D	
	RTL33158	4BD	RTL332190BD	R	TL332796E	3D	
	RTL33188	4BD	RTL332490BD) R'	TL362496E	3D	
	RTL36128	4BD	RTL361890BD) R'	TL362796E	3D	
	RTL36158	4BD	RTL362190BD)			
	RTL36188	4BD	RTL362490BD				

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

F



RTLHKXS/CSRTLHKXS - Refrigerator Tall Left w/HK-XS Lift System


	EXPFLFUESSPFD✓✓✓✓✓	EXT FT SBR LE TS	S OS NSH WS MI DT	NB
Pro-	Custom Size Ranges Width: 30" – 39" Height: 84" – 120" Depth: 24" – 30"	 system hardware a COMPACT hinges. Door weight and de and quantity of lift r Cabinet width 15" – designs. 24-1/16" – side. Upcharges for Rabbeted edge pro- are not available. Middle numbers in to the height of the RTLHKXS331284 F Matching specie int high. Natural Birch When ordering cus specify top cabinet 12" – 18" high upper 	esign determine the stren nechanisms provided. 24" are single panel door 36" are two panels side r 2 panel door applies. files and inset/prefit opt the cabinet code refer wall cabinet (example: nas a 12" high upper cab terior is not available ove UV material will be used tom size refrigerator cab	ngth or e by ions oinet). er 96" I. oinets s.
	84" High	90" High	96" High	
	RTLHKXS331284	RTLHKXS331890	RTLHKXS332496	
	RTLHKXS331584	RTLHKXS332190	RTLHKXS362496	
	RTLHKXS331884	RTLHKXS332490	RTLHKXS392496	
	RTLHKXS361284	RTLHKXS361890		
	RTLHKXS361584	RTLHKXS362190		
	RTLHKXS361884	RTLHKXS362490		
	RTLHKXS391284	RTLHKXS391890		
	RTLHKXS391584	RTLHKXS392190		
	RTLHKXS391884	RTLHKXS392490		

Tall Cabinets



RTL/CSRTLCS - Refrigerator Tall Left w/Center Stile

84" High 90" High 96" High RTL331284 RTL331890 RTL332496 RTL331584 RTL332190 RTL332796 RTL331584 RTL332490 RTL362496 RTL361284 RTL361890 RTL362796 RTL361584 RTL361890 RTL362796 RTL361584 RTL362490 RTL392496 RTL361584 RTL362490 RTL392496 RTL361884 RTL362490 RTL392796 RTL391284 RTL391890 RTL391796 RTL391584 RTL392190 RTL391890 RTL391884 RTL392490 V	Width: Height	FL FUE SS P ✓ ✓ ✓ ✓ ✓ m Size Ranges 30" – 51" : 84" – 120" 8" – 30"	 Mid heig has Mat 96" be u Whe cab 21" 24-1 	FT SBR dle numbe ht of the w a 12" high ching spec high. Natu used. en ordering inets speci - 24" high 1/16" - 27" shelves.	all cabin upper ca cie interic ral Birch g custom fy top ca upper ca	cabine abine or is r UV r size abine	refrig ts have	ode re le: R vailabl ial wil gerato ht. ve one	efer to TB33 le ove ll	o the 1284 er	
RTL331584 RTL332190 RTL332796 RTL331584 RTL332490 RTL362496 RTL361284 RTL361890 RTL362796 RTL361584 RTL362190 RTL392496 RTL361584 RTL362490 RTL392496 RTL361884 RTL362490 RTL392796 RTL391284 RTL391890 RTL391584 RTL391584 RTL392190		Ŭ						<u> </u>			
RTL331884 RTL332490 RTL362496 RTL361284 RTL361890 RTL362796 RTL361584 RTL362190 RTL392496 RTL361884 RTL362490 RTL392796 RTL391284 RTL391890 RTL391584			-			-			_		
RTL361284 RTL361890 RTL362796 RTL361584 RTL362190 RTL392496 RTL361884 RTL362490 RTL392796 RTL391284 RTL391890 RTL391584 RTL391584 RTL392190 RTL392190											
RTL361584 RTL362190 RTL392496 RTL361584 RTL362490 RTL392796 RTL391284 RTL391890 RTL391584 RTL391584 RTL392190 RTL392190		RTL33188	34	RTL332	490	F	RTL36	2496			
RTL361884 RTL362490 RTL392796 RTL391284 RTL391890 RTL391584		RTL36128	34	RTL361	890	F	RTL36	2796			
RTL391284 RTL391890 RTL391584 RTL392190		RTL36158	34	RTL362	190	F	RTL39	2496			
RTL391584 RTL392190		RTL36188	34	RTL362	490	F	RTL39	2796			
		RTL39128	34	RTL391	890						
RTL391884 RTL392490		RTL39158	34	RTL392	190						
		RTL39188	34	RTL392	490						



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



RTRHKXS/CSRTRHKXS - Refrigerator Tall Right w/HK-XS Lift System

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
	~	~	~		~	~					~	~	~	~		
Part of the second seco	Custor Width: Height Depth:	30" - : 84"	- 39" - 12(•	•	syste Door and Cabii desig side. Rabl are r Midc to the RTR uppe Matc 96" h Whe cabii 12" -	em h r wei quar net v gns. Upo coete not a lle n e he HKX er ca chingh. n or nets - 18"	ardw ght a tity c width 24-1 charg d edc ight c (S33 ² binet y spec Natu derin spec high	are nd c f lift 15" /16" es f /16" es f le pi ble. ers ir f the 1284). cie i inral I g cu upp	and E lesign mecl - 24" - 36 or 2 p of les to the e wall has hteric Birch stom op ca er ca	Blum hanis are are are are cabi cabi cabi cabi a 12 or is r Size bine bine	HK-X CON termin sms p single two p I door d inse d inse net co inet (e " high not av mater t heig t has abinet	IPAC the the provice panel	T hin e stre ded. lel da s sic lies. fit op efer ple: le ov ll be or	nge eng oor de b otior ver use	th Py ns ed.
				" Hig				90" Hi	<u> </u>			96" H				
			RTRH					HKXS				RHKX				
			RTRH			_		HKXS				RHKX				
		_	RTRH					HKXS			RIF	RHKX	53924	196		
		-	RTRH					HKXS								
		_														
		-	RTRH					HKXS: HKXS								
		-	TRH					HKXS								
			RTRH					IKXS								

7

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



RTR/CSRTRCS - Refrigerator Tall Right w/Center Stile

	EXP	L FUE SS	PFD	EXT	FT SBI	{ LE	TSS	0S	NSH	ws	MI	DT	NE
	~ ~	· •	~	~				~	~	~	~		
24.0	Width: 30	84" – 120"	•	heig has 96" I Whe cabi 21" - 24-1,	dle numb ht of the a 12" hig ching sp nigh. Na en orderi nets spe - 24" hig /16" – 27 shelves.	wall tural ng cu ecify t h upp " hig	cabin per ca interio Birch ustom top ca per ca	et (e abine or is r UV r size bine bine	xamp et). not av nater refrig t heig ts hav	ole: R vailat ial w gerat ght. ve or	TB3 ble o ill be or ne sh	33 <u>12</u> ver e use	84 ed.
		84" I	ligh		90"	High			96" F	ligh			
		RTR3	31284		RTR3	31890		F	TR33	32496	;	1	
		RTR3	31584		RTR3	32190)	F	TR33	32796	;	1	
		RTR3	31884		RTR3	32490)	F	TR36	62496	i]	
		RTR3	61284		RTR3	61890)	F	TR36	62796	;]	
		RTR3	61584		RTR3	62190)	F	TR39	92496	i]	
		RTR3	51884		RTR3	62490)	F	TR39	2796	;	1	
-		RTR3	91284		RTR3	91890)]	
		RTR3	91584		RTR3	92190]	
		RTR3	91884		RTR3	92490)]	

TCH/CSTCH - Tall Corner Hutch w/Butt Doors



EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
~	~					STD	~			~	~		~		

Custom Size Ranges Width: 24", 27", 30" Height: 84" – 96" Depth: 24", 27", 30"

- Lower section aligns with 34-1/2" high base cabinets.
- When height changes, upper opening height changes. Lower opening height fixed at 27-1/2".


84" High	
TCH2484BD	TCH3084BD
TCH2784BD	

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom





CSCONH - Case Only No Shelf Holes		
	EXP FL FUE SS PFD EXT FT SBR LE TSS OS NSH WS MI DT NB ✓	
	 Custom Size Ranges Width: 12" – 48" Height: 10" – 120" Depth: 5-1/2" – 30" Use Conestoga's online ordering system, Con- Nex or Conestoga order entry for pricing. Customizable cabinet case for custom base and tall applications. No front frame included – case only. Order custom size front frame, doors, drawer fronts and drawer boxes separately. 	
	• Loose fixed floor kits are sized to fit between sides. Plywood cleats included to mount floors as needed behind front frame openings. Floors include pre-inserted splines. Specify quantity of fixed floor kits per cabinet.	
	Loose fixed floor kits Matching specie interior is not available over 96" high. Natural Birch UV material will be used.	

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

Tall Cabinets