


# **VB/CSB - Vanity Base**



Custom Size Ranges
Width: 12" - 24"
Height: 31-1/2" – 42"
Depth: 12", 15", 18", 21",
24", 27", 30"

~

V

~ | ~ | ~ | ~

EXP | FL | FUE | SS | PFD | EXT | FT |

• When height changes, lower opening height changes. Upper opening height fixed at 5".

OS NSH WS MI DT NB

~


~

~

• Specify single or butt doors on custom size cabinets 24" wide.


Cabir	net Code
VB1231.5	VB1234.5
VB1531.5	VB1534.5
VB1831.5	VB1834.5
VB2131.5	VB2134.5


SBR LE TSS





# VS/CSBS2D1D - Vanity Sink Two Door One Drawer







8

HUTTER       FL       FUE       SS       PFD       EXT       FT       SBR       LE       TSS       OS       NSH       WS       MI       DT       NB         V <t< th=""><th>VBS/CSVBS - Vanity Base Sink w/</th><th>Butt</th><th>Doo</th><th>rs</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>	VBS/CSVBS - Vanity Base Sink w/	Butt	Doo	rs												
<ul> <li>False top middle drawer front.</li> <li>False top middle drawer front.</li> <li>When height changes, lower opening height changes. Upper opening height fixed at 5".</li> </ul>		EXP	FL   F	UES	S PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
<ul> <li>False top middle drawer front.</li> <li>False top middle drawer front.</li> <li>When height changes, lower opening height changes. Upper opening height fixed at 5".</li> </ul>	18.	~	~	~ ~	· •	~	~	~	~	~	STD	STD		~		
	& 34-1/2" H	Widtl Heigl	h: 36 ht: 31 h: 12	"  -1/2" · ", 15",	- 42" 18", 21	•	Whe	en hei	ight	chan	ges, lo	ower o				t
							(	Cabin	et Co	ode						
VBS3631.5BD VBS3634.5BD					V	BS36	31.5	3D	V	/BS36	634.5B	D				



# VBS/CSVBSCS - Vanity Base Sink w/Center Stile







8



# VSRV/CSVSRVCS - Vanity Sink Reverse w/Center Stile



# **VBF/CSBFD - Vanity Base Full Door**



## VBF/CSBFD - Vanity Base Full Door w/Butt Doors

	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
31-1/2" & 34-1/2" H	\ 	Nidth Ieigh	om Si n: 24" nt: 10 n: 5-1	- 36 " - 4	8"	•	22- 28- 40- Spe size	– 22' 1/16" 1/16" 1/16" ecify s e cab	– 28 – 40 – 48 sing	3" hig )" hig 3" hig le or s 24"	h ha h ha h ha butt	s one s two s thre doors	she shel e sh	ves. elve	s.	
						F2431	-			3F243	-					
Ψ.						F2731 F3031	-			3F273 3F303	-					
						F3631	-			3F363						

 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door


 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



### V3D/CSB3D - Vanity Three Drawer

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0S</b>	NSH	ws	МІ	DT	NB
~	~	~	~	~	~	~	~	~	~	STD	STD		~	~	



• When height changes, lower opening height changes. Upper and middle opening heights fixed at 5" and 8".

Cabin	let Code
V3D1231.5	V3D1234.5
V3D1531.5	V3D1534.5
V3D1831.5	V3D1834.5
V3D2131.5	V3D2134.5
V3D2431.5	V3D2434.5

V4D/CSB4D - Vanity Four Dra	wer										
34-1/2"H	EXP         FL         FUE         SS         F           ✓         ✓         ✓         ✓         ✓         ✓           Custom Size Ranges         Width: 12" – 39"         Height: 31-1/2" – 34-1         Depth: 12", 15", 18", 2         24", 27", 30"	/2"	<b>✓</b> Wh	🖌 en he	✓	✓	<b>U</b>	NSH STD ower o g heig	🖌	•	t
31-1/2" &			(	Cabin	et Co	ode					
è l		V4D1	231.5	5		V4D	1234.5				
	-	V4D1	531.	5		V4D	1534.5				
	-	V4D1	831.	5		V4D	1834.5				
	-	V4D2	2131.8	5		V4D	2134.5				
		V4D2	2431.	5		V4D2	2434.5				
	L	1402		<u> </u>		v-rD2	00				



# VCL/CSVCL - Vanity Combination Left

31-1/2" & 34-1/2" H

78, <sup>4</sup>87, 0

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
~	~	~	~	~	~	~	~	~	~	STD	STD		~		

Custom Size Ranges Width: 30" – 36" Height: 31-1/2" – 34-1/2" Depth: 12", 15", 18", 21" 24", 27", 30"

- False top drawer front.
- When height changes, lower opening heights change. Upper and middle opening heights fixed at 5" and 8".
- When width changes, door and false drawer openings change. Lower drawer openings fixed at 12".
- Specify single or butt doors on custom size cabinets 36" wide.
- Doors hinged on center stile require 1/2" overlay hinges for 1-1/4" or 1-3/8" overlays.

Cabin	net Code
VCL3031.5	VCL3034.5
VCL3331.5	VCL3334.5
VCL3631.5	VCL3634.5

VCL/CSVCL - Vanity Combination	Lef	t w/	Butt	Do	ors											
	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
	~	~	~	~	~	~	~	~	~	~	STD	STD		~		
11-1/2" & 34-1/2" H	Wi He	idth: eight	n Size 36" – : 31-1, 12", <sup>-</sup> 24", 2	48" /2" – 15",	- 34-1 18", 2 30"	/2" !1"	<ul> <li>WW ch fix at</li> <li>W opp fix</li> <li>Sp ca</li> <li>Dc ov</li> <li>31.556</li> </ul>	hen h ange ed 5" an hen v eening ed at becify binet bors h erlay Cabin	eigh . Up d 8" vidth 12". s 36 hinge hinge	nt cha per a , n chan nango gle or " wid ed on ges fo ode /CL42	nd mi nges, e. Low butt c e. cente	lower door a ver dra doors v er stile 1" or 1	and fa wer on cu requ	ng h alse oper ustor iire 1	eights drawe nings n size /2"	er




31-1/2" & 34-1/2" H

### VCR/CSVCR - Vanity Combination Right

18. F-3. ID

• Doors hinged on center stile require 1/2" overlay hinges for 1-1/4" or 1-3/8" overlays.

Cabir	et Code
VCR3031.5	VCR3034.5
VCR3331.5	VCR3334.5
VCR3631.5	VCR3634.5



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving


 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom


8



# VC3DL/CSVC3DL - Vanity Combo Three Drawer Left

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0</b> S	NSH	ws	MI	DT	NB
~	<	<	<	2	~	~	~	~	~	STD	STD		<		







8



# VC3DR/CSVC3DR - Vanity Combo Three Drawer Right





 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FU = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom

8



# VCFD3DL/CSVCFD3DL - Vanity Combo Full Door Three Drawer Left


	EXP V	FL ✓	FUE	SS V	PFD	EXT V	FT ✓	SBR	LE ✓	TSS V	0S STD	NSH STD	ws	MI ✓	DT	NB
31-1/2" & 34-1/2" H	W H	/idth: eight	36" - : 31-1	- 48' I/2" - 15",	- 34-1 18", 2	/2" 21"	rei • W he op • Do	mains hen h ights pening pors h	s fixe eigh cha g hei inge	ed. nt cha nge. ights ed on	nges, Upper fixed a cente or 1-1/4	lower and r at 5" a er stile	open niddl nd 8' reau	ning le dr '. ire 1	awe /2"	
31-1				Cabinet Code												
	$\square$				VC	FD3E	DL36	31.5	V	CFD3I	DL3634	4.5				
	VCFD3DL3931.5 VCFD3DL3934.								4.5							
					VC	CFD3D	)L42	31.5	V	CFD3	DL4234	4.5	;			
	VCFD3DL4531.5 VCF								CFD3I	DL4534	4.5					
					VC	CFD3E	DL48	31.5	V	CFD3I	DL4834	4.5				

VCFD3DL/CSVCFD3DL - Vanity	Com	bo F	<sup>-</sup> ull I	Doo	or Th	ree	Drav	wers	s Le	eft w	/Butt	Doo	rs			
	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	<b>0</b> S	NSH	ws	MI	DT	NB
	~	~	~	~	~	~	~	~	~	~	STD	STD	İ	~	ΪÍ	
31-1/2" & 34-1/2" H	Wi He	idth: eight: epth:	36" – 31-1,	48" /2" – 15",	nges 34-1, 18", 2 30"	/2"	<ul> <li>W</li> <li>he</li> <li>op</li> <li>Do</li> <li>1/2</li> <li>ov</li> </ul>	mains hen h eights bening bors h	s fixe neigl cha g he ning erlay s.	ed. ht cha nge. ights ed or / hing	nges, anges Uppe fixed n cente jes for	, lower r and r at 5" a er stile	r ope midd Ind 8 requ	ening Ile di 1". uire	rawer	
					VCF	)3DI 3			1		DL363	4.5BD				
								.5BD			3DL39	-	_			
					VCF	D3DL	4231	.5BD		/CFD	3DL42	34.5BD	,			
					VCF	D3DL	4531	.5BD	\ \	/CFD	3DL45	34.5BD	>			
					VCF	D3DL	4831	.5BD	\	/CFD	3DL48	34.5BC	)			



### VCFD3DR/CSVCFD3DR - Vanity Combo Full Door Three Drawer Right

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	МІ	DT	NB
<	~	~	~	~	~	~	~	V	~	STD	STD		~		



Custom Size Ranges	
Width: 36" – 48"	
Height: 31-1/2" – 34-1/2"	
Depth: 12", 15", 18", 21"	
24", 27", 30"	


- When width changes, door opening remains fixed.
- When height changes, lower opening heights change. Upper and middle drawer opening heights fixed at 5" and 8".
- Doors hinged on center stile require 1/2" overlay hinges for 1-1/4" or 1-3/8" overlays.

Cabin	et Code
VCFD3DR3631.5	VCFD3DR3634.5
VCFD3DR3931.5	VCFD3DR3934.5
VCFD3DR4231.5	VCFD3DR4234.5
VCFD3DR4531.5	VCFD3DR4534.5
VCFD3DR4831.5	VCFD3DR4834.5

#### VCFD3DR/CSVCFD3DR - Vanity Combo Full Door Three Drawers Right w/Butt Doors EXP FL FUE SS PFD EXT FT SBR LE TSS **0**S NSH WS MI DT NB V STD STD V 1 1 1 ~ 1 1 1 1 ~ 18" <sup>4</sup>~7",0 **Custom Size Ranges** · When width changes, door opening remains fixed. Width: 36" - 48" Height: 31-1/2" - 34-1/2" • When height changes, lower opening heights change. Upper and middle drawer Depth: 12", 15", 18", 21" 31-1/2" & 34-1/2" H opening heights fixed at 5" and 8". 24", 27", 30" Doors hinged on center stile require 1/2" overlay hinges for 1-1/4" or 1-3/8" overlays. Cabinet Code VCFD3DR3631.5BD VCFD3DR3634.5BD VCFD3DR3931.5BD VCFD3DR3934.5BD VCFD3DR4231.5BD VCFD3DR4234.5BD VCFD3DR4531.5BD VCFD3DR4534.5BD VCFD3DR4831.5BD VCFD3DR4834.5BD




#### VC6D/CSVC6D - Vanity Combination Six Drawer w/Butt Doors FUE SS EXP FL PFD EXT SBR LE **0S** NSH WS NB FT TSS MI DT STD V ~ ~ V ~ ~ ~ V ~ STD · One false top drawer front, two functional top Custom Size Ranges drawers. Width: 48" - 72" Height: 31-1/2" - 34-1/2" • When height changes, lower opening heights change. Upper and middle drawer openings Depth: 12", 15", 18", 21" 70 heights fixed at 24", 27", 30" 5" and 8". · When width changes, door and false drawer Т front openings change. 31-1/2" & 34-1/2" Doors hinged on center stile require 1/2" overlay hinges for 1-1/4" or 1-3/8" overlays. **Cabinet Code** VC6D4831.5BD VC6D4834.5BD VC6D6034.5BD VC6D6031.5BD




8



# VLV/CSVLV - Vanity Linen Vanity Height





8





# **VLB/CSUCR - Vanity Linen Base Height**

18" ¢ 27"D	EXP F	FL FUE	SS V	PFD	EXT	FT	SBR	LE ✓	TSS	0S	NSH	ws ✓	MI ✓	DT	NB
	Custom Width: 1 Height: Depth: 5	2" – 24 84" – 12	." 20"		used Whe char 27-1, Spe cabi	nets – 90 /16" /16" -1/16 chin high d. en ho nges /2". cify nets arat	s. - 96' - 108 - 108 - 12 g spe . Nati eight s. Low single s 24" v	n ha: " hig 3" hi 20" H ccie ural cha cha ver c e or wide	s six s h has gh ha nigh h interio Birch Birch nges, openi butt o s. toe p	shelv s sev as eig nas r or is n UV , upp ng h	ves. yen sh ght sh ine si not a mate per op eight s on c	nelve nelve helve vailal rial w fixed	s. s. ble c ble c g he l at m si	over e ight ze	
				\	/LB18		abinet	Cod	de VLB	2484					
			-		/LB21				, 201						


#### VLB/CSUCR - Vanity Linen Base Height w/Butt Doors 18" <sup>& 2</sup>1"D EXP FL FUE SS PFD EXT FT SBR LE TSS 0S NSH WS MI DT NB V V ~ ~ V V V 1 1 1 ~ V 1 1 · Lower section aligns with 34-1/2" high vanity Custom Size Ranges | cabinets. Width: 24" - 36" • 84" – 90" high has six shelves. Height: 84" - 120" • 90-1/16" - 96" high has seven shelves. Depth: 5-1/2" - 30" • 96-1/16" - 108" high has eight shelves. • 108-1/16" - 120" high has nine shelves. • Matching specie interior is not available over 96" high. Natural Birch UV material will be used. т 84" • When height changes, upper opening height changes. Lower opening height fixed at 27-1/2". Specify single or butt doors on custom size cabinets $\mathbf{24}^{\text{\tiny II}}$ wide. • • Separate 4" high toe platform is available with all cabinet heights. **Cabinet Code** VLB2484BD







### VUC/CSUC - Vanity Utility w/Butt Doors



SBR LE TSS **0**S NSH

V

~

VUC2484

WS MI DT NB

1

Options Key: EXP = Exposed End(s) FL = Flush End(s) FUE = Flush Unexposed End(s) SS = Shaped Side PFD = Prep for False Door EXT = Extended Stile(s) FT = Flush Toe SBR = Shaped Bottom Rail LE = Leg Extension TSS = Toe Space Side OS = Omit Shelving NSH = No Shelf Holes WS = Solid Wood Shelves MI = Matching Interior DT = Dust Top NB = Natural Finished Bottom


8



# VL3V/CSVL3V - Vanity Linen Three Drawer Vanity Height


18** ¢21**D	EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
H-18	Custo Width: Heigh Depth	: 12" t: 84' : 12",	– 24" ' – 12	0" 18", 1		ca • 84 • 90 • 96 • 10 • Ma 96 be • Wi ch at • Sp ca • Se	bine bine -1/10 -1/10 -1/10 8-1/ atchi atchi bine bine para	90" hig 6" – 90 6" – 10 16" – ing sp gh. Na	Jh h 6" h 08"   120' ecia tura t ch wer 8-1, le o ' wic higl	as fo igh h high l high l high high high high high high high hig	ur sh as fiv has s has rior i ch U' s, up ver o t doo	nelves ve sh six sh s seve s not V mat oper o openir ors on	s. elves elves avail terial openi ng he	s. s. able will ing h ight tom	s. e over neigh s fixe size	r t ed
							Ca	abinet	Cod	le			ļ			
				-	-	L3V18		-+		VL3V	2484	-				

## VL3V/CSVL3V - Vanity Linen Three Drawer Vanity Height w/Butt Doors





# VL3B/CSU3D - Vanity Linen Three Drawer Base Height



### VL3B/CSU3D - Vanity Linen Three Drawer Base Height w/Butt Doors


18" ¢ 27" D	EXP       FL       FUE       SS       PFD       EXT       FT       SBR       LE       TSS       OS       NSH       WS       MI       DT       NB         V
84"H	<ul> <li>Custom Size Ranges Width: 24" - 36"</li> <li>Height: 84" - 120"</li> <li>Depth: 12", 15", 18", 21"</li> <li>24", 27", 30"</li> <li>Lower section aligns with 34-1/2" high vanity cabinets.</li> <li>84" - 90" high has four shelves.</li> <li>90-1/16" - 96" high has five shelves.</li> <li>96-1/16" - 108" high has six shelves.</li> <li>108-1/16" - 120" high has seven shelves.</li> <li>Matching specie interior is not available over 96" high. Natural Birch UV material will be used.</li> </ul>
	<ul> <li>When height changes, upper opening height changes. Lower drawer opening heights fixed at 5", 8" and 11-1/2".</li> <li>Specify single or butt doors on custom size cabinets 24" wide.</li> <li>Separate 4" high toe platform is available with all cabinet heights.</li> </ul>


\_

8


Vanity Cabinets







WHV/	CSWHV	- Wall	Huna	Vanitv



 Options Key:
 EXP = Exposed End(s)
 FL = Flush End(s)
 FUE = Flush Unexposed End(s)
 SS = Shaped Side
 PFD = Prep for False Door

 EXT = Extended Stile(s)
 FT = Flush Toe
 SBR = Shaped Bottom Rail
 LE = Leg Extension
 TSS = Toe Space Side
 OS = Omit Shelving

 NSH = No Shelf Holes
 WS = Solid Wood Shelves
 MI = Matching Interior
 DT = Dust Top
 NB = Natural Finished Bottom



24" H

# WHV/CSWHV - Wall Hung Vanity w/Butt Doors

₹7, 0

EXP	FL	FUE	SS	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	MI	DT	NB
~	~	~		~	~					STD	STD		~	STD	~

Custom Size Ranges Width: 24" – 36"

Height: 18" – 24" Depth: 18" – 21" • Includes two precut 2 x 4 installation cleats.

- The load capacity of these cabinets is greatly dependent on the quality of the installation screws and whether the cabinets are secured into the wall studs. If not secured into two or more studs, using high quality installation screws the cabinet may not support the desired weight.
- Conestoga will not be responsible for cabinet failure due to inadequate installation techniques or materials.

24" I	ligh
WHV2424BD	WHV3324BD
WHV2724BD	WHV3624BD
WHV3024BD	

WHV/CSWHVCS - Wall Hung	Vanit	y w	/Cen	ter	Stile	•										
	EXP	FL	FUE	ss	PFD	EXT	FT	SBR	LE	TSS	0S	NSH	ws	мі	DT	NB
	~	~	~		~	~					STD	STD		~	STD	~
24"H	Custo Width Heigl Dept	h: 27 ht: 18	" – 48 3" – 2	3" 4"		• Th de an stu hig su • Co fai ma WH WH	ie lo pen d wl uds. gh qi ppo ones	ad ca dent on the hethe lf not uality rt the toga due t als. 24 24 24 24	pac on the r the sec inst des will i	ity of he qu e cab ured allatio ired v not bo adeq h WH WH	2 x 4 ir these ality o inets a into tw on scr weight e resp uate ir V3924 V4224 V4224 V4224	cabin f the in are sec vo or r ews th  onsibl	ets is nstall curec nore ie ca e for	s gre latior l intc stud bine cabi	atly n screw o the w ls, usin t may inet	/all ng not



# WHV2D/CSWHV2D - Wall Hung Vanity Two Drawers

	EXP ✓	FL ✓	FUE	SS	PFD	EXT V	FT	SBR	LE	TSS	OS STD	NSH STD	WS	MI ✓	DT STD	NB V		
24" H	Custom Size Ranges Width: 21" – 36" Height: 18" – 24" Depth: 18", 21"					<ul> <li>Drawer boxes are 6" less than the depth of the cabinet to accomodate inset drawers and hardware.</li> <li>Includes two precut 2 x 4 installation cleats.</li> <li>The load capacity of these cabinets is greatly dependent on the quality of the installation screws and whether the cabinets are secured into the wall studs. If not secured into two or more studs, using high quality installation screws the cabinet may not support the desired weight.</li> <li>Conestoga will not be responsible for cabinet</li> </ul>												
								failure due to inadequate installation techniques or materials.         24" High         WHV2D2124       WHV2D3024         WHV2D2424       WHV2D3324         WHV2D2724       WHV2D3624										